

CURRENT LIST of MEDICAL LITERATURE

Vol. 11

July 26, 1946

No. 3-A

SUBJECT GROUPS ACCORDING TO JOURNALS

- | | |
|--------------------------------------|---------------------------------------|
| 1. Anatomy; Histology | 26. Infectious Diseases; Epidemiology |
| 2. Anthropology; Ethnology | 27. Medicine |
| 3. Archeology; Paleontology | 28. Metabolism |
| 4. Aviation Medicine | 29. Military and Naval Medicine |
| 5. Bacteriology; Parasitology | 30. Miscellaneous |
| 6. Biology; Embryology | 31. Neurology; Psychiatry |
| 7. Bone; Joint; Extremities; Muscle | 32. Nursing |
| 8. Cancerology | 33. Ophthalmology |
| 9. Cardiovascular System | 34. Otorhinolaryngology; Phoniatry |
| 10. Chemistry; Physics | 35. Pathology |
| 11. Dentistry; Stomatology | 36. Pediatrics; Child Welfare |
| 12. Dermatology | 37. Pharmacology; Pharmacy |
| 13. Diagnosis; Clinical Methods | 38. Physiology |
| 14. Dietetics; Foods; Nutrition | 39. Psychology; Mental Hygiene |
| 15. Digestive System | 40. Public Health; Sanitation |
| 16. Endocrinology | 41. Radiology; Phototherapy |
| 17. Forensic Medicine; Toxicology | 42. Respiratory System |
| 18. Genetics; Eugenics | 43. Surgery; Traumatology |
| 19. Gynecology; Obstetrics | 44. Therapeutics |
| 20. Hematology | 45. Tropical Medicine |
| 21. History; Biography; Bibliography | 46. Tuberculosis |
| 22. Homeopathy; Osteopathy, etc. | 47. Urology |
| 23. Hospitals | 48. Venereal Diseases; Sexology |
| 24. Immunology; Serology | 49. Veterinary Medicine |
| 25. Industrial Hygiene; Sociology | 50. Zoology |

THE ARMY MEDICAL LIBRARY
Washington, D. C.

The CURRENT LIST OF MEDICAL LITERATURE
is for sale by the Superintendent of Documents,
U. S. Government Printing Office, Washington 25,
D.C., \$3.00 per year (\$3.75 foreign) 10 cents per
single copy. All communications regarding sub-
scriptions should be addressed to the Superinten-
dent of Documents at the above address.

•

Published weekly by the **ARMY MEDICAL LIBRARY**,
7th Street & Independence Ave., S. W., Washington
25, D.C., as an intraservice publication of the War
Department. Lists all articles of medical interest
contained in current journals received. Subject-
index provided monthly. Exchange invited.

SUBJECT INDEX
for
Vol. 11 Nos. 1-3 (pp. 1-160)

July, 1946

(Based on the schedule of subject-headings used by the
American Medical Association's Quarterly Cumulative
Index Medicus.)

ABDOMEN

- abscess, 22b
- acute conditions, 109-1
- diag., 36r
- dis., 142c
- hemorrhage, 25c
- pain, 16w, 34k, 109-1, 127j
- pressure, 142n
- surgery, 32m, 109j, 130j, 136c, 138-1
- wounds & injuries, 26h, 54s, 142n

ABNORMALITIES & DEFORMITIES

- etiol. & pathogen., 87i

ABORTION, 23c, 34r

- opl. & seq., 13g
- criminal, 19f, 129b
- epidemiol. & statistics, 79t
- etiol. & pathogen., 96f
- threatened, 61s

ABSCESSES

- perirenal, 129u
- subphrenic, 22b

ACANTHOSIS

- nigricans, 9-1

ACARIASIS, 7r

- pulmonary, 110c

ACCIDENTS, 32a, 99h

ACHONDROPLASIA, 9m

ACID

- acetic, 66w
- adenylpyrophosphoric, 3e, 1, 48u, 60u
- adipic, 65c
- aliphatic, 60c
- aminobenzoic, 58r, 140n
- asparagillic, 4n
- caodylic, 31q
- caprylic, 128u
- carboxylic, 49b, 65j
- chollic, 58w
- fatty, 65p
- gladillic, 104c
- gluconic, 2g
- glucuronic, 4g
- glutamic, 2e
- hydrochloric, 61t
- hydroxamic, 65j
- mandelic, 99d
- methylphthalic, 101q
- nicotinamidoethanesulfonic, 47c
- oxalic, 118j
- phthalic, 59t, 153e
- quinolinesulfonic, 65q
- succinic, 59k
- trichloroacetic, 6u

ACID BASE EQUILIBRIUM, 5n, 59b

menstrual cycle, 11c

ACIDOSIS, 2b

- therapeutic, 99d

ACRIDINE DYES, 61h

- therapy, 121e

ACRODERMATITIS

- perstans, 10r, 123p

ACROSCLEROSIS, 70c

ACTION, 48u

ACTINOMYCIN, 104i

- ACTINOMYCOSIS, 68k, 138f, 156h
- cervicofacial, 10s
- genital, 99-1
- in animals, 148v
- therapy, 58r
- thoraco-pulmonary, 139k
- thoraco-vertebral, 40g

ACTORS, 145d

ADAPTATION, 159m

ADHESIONS

- abdominal, 12w, 109j, 116u

ADIPOSIS dolorosa, 100c

ADOLESCENCE, 89i, 149s

ADRENAL PREPARATIONS, 61r

- eff., 48j, 59a, 60a, g, 63q, 111b

ADRENALS

- eff. drugs, 116c
- insufficiency, 92h
- physiol., 181, j, 60q, 62i, 134q
- pathol., 134q
- secretion, 2d
- tuberculosis, 21u

ADRENOGENITAL SYNDROME, 26s

ADSORPTION, 114a

AERODONTALGIA, 37i

AEROSOLS, 30a, 56b, c, e, 78c, j

CT, 58m

- production, 61v

AGAR, 38k

AGE

- measurement, 50q

AGGLUTINATION & AGGLUTININS

- bacterial, 113q
- hemagglutination, 76s
- methods, 114a

AIDHEM, 85i

AIR, 146q

- bacteriol., 12lp
- disinfection, 51a, f
- fume-collection, 15c
- in ophthalmology, 107g
- pressure, 1k, 37h, 142v, 147s

AIR RAIDS, 108e

AIRCRAFT

- design, 1j

ALASTRIM, 25b

ALBUMINURIA

- etiol. & pathogen., 135i

ALCOHOL

- eff., 59a
- metabolism, 59p
- therapy, 134c

ALCOHOLISM, 93t

- diag., 142j

ALCOHOLS, 65s, 150c

- ethyl, 150p

oleyl, 150c

ALDAROSE, 78n

ALDOLASE, 2a

ALGAE, 68c, 140r

- ALKALI, 58r, 61e
 ALKALOIDS, 48v
 eff., 2-1, q
 metabolism, 3b
 ALLOXAN
 toxicity, 148-1
 ALOIN
 allergy, 681
 ALOPECIA, 124f
 cicatrisata, 69f
 etiolo. & pathogen., 91, j, 135h
 ALTITUDE
 high, 1k, 142v, 147s, 152u
 ALUMINUM hydroxide, 82f
 AMAAS, 25b
 AMEBIASIS
 carriers, 85b
 opl. & seq., 22m, 69d
 epidemiol. & statistics, 85a
 in infants & children, 22q
 AMIDINES, 60s
 eff., 110a, g
 therapy, 109g
 AMINES, 62g, 65m, q
 chloroethyl amine, 60g
 sympathomimetic, 49a, 59v
 AMINO ACIDS
 determ., 64o, 103o
 eff., 116t
 in diet, 71e, f
 metabolism, 71i, 85h, 117q
 AMINOCARBINOLS, 65o
 AMINIPHENOL, 38n
 AMINOPYRINE
 toxicity, 128n
 AMINOTHIAZOL
 therapy, 24r
 AMMONIUM
 bromide, 2h, 60j
 chloride, 1k, 99d
 quaternary, 47g, 59s
 AMNION, 1c, 146k
 AMPHETAMINE
 therapy, 128-1, 133d
 AMPUTATION, 36d, 100w, 158e, i
 stump, 141q
 AMYLASE, 64n
 AMYLOIDOSIS, 68j
 diagn., 111e
 ANALGESICS, 4g, s, 60r, 134o
 ANAPHYLAXIS & ALLERGY, 19r, 34g, 130o
 diagn., 84e
 etiol. & pathogen., 9o, 120b, 155u
 experimental, 121d
 in infants & children, 96n, 150o
 mechanism, 20e
 pathol., 114o
 physical, 150o
 serum & vaccine, 91p, 120w, 121g
 stomach, 71v
 therapy, 9u, 10k, 136-1
 ANATOMY, 36v, 571
 history, 92o
 teaching, 77m
 ANDROGENS
 eff., 12b, 571, 72o
 in diet, 11p
 therapy, 22j
 ANEMIA, 94-1, 132n
 aplastic, 13h, 15f, 114a, 115k
 blood proteins, 82m
 opl. & seq., 35s
 diagn., 18-1
 equine, 149e
 etiolo. & pathogen., 84n, 88j, 114a, 115k
 experimental, 3p
 hemolytic, 4b, 83o, 108a
 hypochromic, 75u
 in infants & children, 107w, 150a
 in pregnancy, 13h
 metabolism, 117q
 peripheral pancytopenia, 79o
 sickle cell, 88k
 therapy, 93u, 99g, 1181, s, 131n, 141r
 ANEMIA PERNICIOUS
 antiprinciple, 30d
 diagn., 70r
 therapy, 78j
 ANESTHESIA, 59c, 76m, 79r, 95n, 96g, 100o
 apparatus, 158g
 auto-, 5q
 barbital, 14b, 23u, 47t, 56d, 59k, 99q
 chloroform, 86p
 combined, 78p
 opl. & seq., 2t, u, 86p
 conduction, 54o
 curare, 18t
 cyclopropane, 14b, 56d
 heart, 89d
 hexenal, 156v, 157k
 in dentistry, 5q, 66f, 82v, 98n, 122f, u, 128g
 in gyneco. & obstetrics, 73q, 23u, 124j, 146g
 in ophthalmol.-oto-rhino-laryngology, 13w
 intravenous, 25h
 local, 2t, u, 140s, 157p
 metabolism, 48h
 nitrous oxide, 14a
 nursery, 42e
 pharmacol., 60v
 procaine, 94v, w, 137-1, 157p
 propyl meth. 1 ether, 591
 spinal, 14b, 16n, 36o, 76h, 86p, 99k, 137d
 trichloroethylene, 5q
 ANEURYSM
 arteriovenous, 105d, 139h
 cerebral, 41m
 etiolo. & pathogen., 54q
 parasitic of horses, 160d
 retinal, 139h
 therapy, 157o
 ANGINA
 Ludwig's, 86j
 s septica, 115k
 ANGINA PECTORIS, 135d
 etiolo. & pathogen., 117o
 ANIMALS, 104p
 dis., 138d, 160f
 ANISYL
 chloroethylene, 61m
 ANKLE
 fractures, 53h, 101i
 ANORECTAL SYNDROME, 97b
 ANTERGAN, 9n
 therapy, 9u
 toxicity, 12g
 ANTHALLAN, 18q
 ANTHRAX
 bacilli, 64p, g
 ANTHROPOMETRY, 52h
 Chile, 25u
 ANTIBIOTICS, 29d, 59s, 78h, 100b, 1041
 differentiation, 39s
 eff., 121b
 ANTIGENS & ANTIBODIES, 29j, 45g, 51d, 52b, 52d,
 113q, 114o, 117o, 120b, j, k, n, t, 121h, i,
 130a
 chem., 114h
 preparation, 109g
 ANTIMONY
 eff., 60-1
 metabolism, 4j
 ANTIPYRIDINES, 142r
 ANTISEPTICS, 36s, 127f
 ANU, 3u
 ANUS
 dis., 93h, 97b
 stricture, 75o
 ANXIETY, 106m, s
 dyspeptic, 138r
 therapy, 141-1
 AORTA
 stricture, 84q, 95f
 APES, 35o
 parasites, 113j
 APHASIA
 therapy, 101e
 APHIDS, 57v, 58b

- APPENDECTOMY**
 opl. & seq., 136m
APPENDICITIS, 26j, 87p, 95o, 99h
 bacteriology, 110k
 opl. & seq., 23w, 134u
 diagn., 55h
 etiol. & pathogen., 136w
 in armed forces personnel, 54n
 in infants & children, 109k
APPENDIX
 abscess, 99h
 bacteriol., 104d
 hernia, 96u
APPETITE, 116t
ARACHNOID
 syphilis, 112p
ARLOING, FERNAND (1876-1944), 91q
ARMED FORCES PERSONNEL
 aptitude, 102e
ARMS
 tumors, 10s, 134w
AROMATIC CPDS., 5-1
ARRHYTHMIA, 33p
 asystoles, 19e
 auricular fibrillation, 4-1
 therapy, 62o
 ventricular fibrillation, 60a
ARSENONES, 93c
ARSENIC
 therapy, 78n
 toxicity, 3w, 8m, 15i, 21q, 69v, 84m, 94o, 99f, 112u
 142d
ART & ARTISTS, 49r, 144c
 psychol. asp., 105o
ARTERIES
 alveolar, 28i
 brachial, 157f
 inflammation, 91s
 mammary, 62p
 pathol., 117i
 portal, 48f
 pulmonary, 62k, p
 spinal, 158f
 surgery, 87v
 wounds & injuries, 94g
ARTERIOSCLEROSIS, 21g
 opl. & seq., 86a
 diagn., 127t
 therapy, 82a
ARTHRITIS, 83g
 endocrine factors, 134q
 etiol. & pathogen., 89n, 126r
 in armed forces personnel, 75g
 menopausal, 85s
 metabolism, 85v
 pneumococcal, 85s
 therapy, 16j, 85u, v, 130k
ARTHRITIS RHEUMATOID, 121r, s
 opl. & seq., 85r
 juvenile, 85r
 orthopedics, 121r
 pathol., 55o
 therapy, 27v, 85p, q
ASCARIASIS, 16j
 opl. & seq., 15q, 43f
 duodenal, 72a
ASCARIS, 70m
ASCITES
 chylous, 118-1
 etiol. & pathogen., 95w
 hemorrhagic, 96-1
ASCORBIC ACID, 139c
 determ., 71r
 metab., 119a
 sources, 118e, m
 therapy, 122o
ASTHENIA
 neurocirculatory, 106t, 107b, 130e
ASTHMA, 54g, 79o, 131j
 opl. & seq., 79v
 heart, 45k
 therapy, 17r, 138w
ASTIGMATISM, 147a
ATHLETES & ATHLETICS, 50f, 98a, 156e, 159o
 physiol. limitations, 15p
- ATMOSPHERE**, 38j
ATOMIC BOMB
 eff., 82o
 radiation distribution, 53d
ATOMIC ENERGY, 103u, 137f, 143o
AUSCULTATION, 36r
AUTOMATISM, 91b
AUTOPSIES, 72s, 136c
AVELLIS'S SYNDROME, 44p
AVIATION & AVIATORS
 dis., 37h
 medicine, 87e, 101h
 physiol. & pathol. eff., 1k, 101h, 142v, 147s
 psychol., 105u, 106e, 152g, u
 selection, 1m
 trainee defects, 1p
 training, 1p
 transportation of sick & wounded, 125r
AVIDIN, 2f
AXILLA, 62s
AZO BENZENES, 119d
- BACK**
 dis., 7d
BACKACHE
 etiol. & pathogen., 26u
BACTEREMIA, 130w
BACTERIA
 abortus & mellitensis group, 108q
 aerogenes capsulatus, 115p, 121-1
 anaerobic, 100w
 azotobacter, 140m
 carriers, 114p
 clostridium, 36i
 coli, 27r, 104j, 133e
 conservation, 115b
 corynebacteria, 160h
 culture, 62m, 140p, s
 culture mediums, 108q, 120e, 137n
 gram-negative, 121d
 influenza, 87f, 127q
 lactic acid group, 64k, m, 118s
 listerella, 17s
 metabolism, 28n, 39r
 mucosus capsulatus group, 100n
 pasteurilla, 50v
 Rettger's, 28n
 rhizobacteria, 36t
 stichococci, 140-1, r
 typhoid group, 114f, 115b, c, 140p
 wakefield, 51c
BACTERIOLOGY, 36s, 37c
 in Russia, 114c
BACTERIOPHAGE
 dysentery, 114u, 115g, h
 typhoid group, 114u
BAL, 3w
 therapy, 117e
BALZAC, 92e, 93e
BARBEY, 92e
BARBITAL CPDS., 47t, 61w
 eff., 4p, 59n
 toxicity, 59k, 116k, 133a
BARIUM CHLORIDE, 62o
BARLEY
 breeding, 155-1
BAROSMA, 47m
BARRACKS
 partitioning, 37i
BARTHOLIN'S GLANDS
 cysts, 79e
BEDDOINS, 131m
BEDS & BEDDING, 86e, 95b
 disinfection, 86o
BEEKS
 diseases, 57r
BENADRYL, 59s, 133v
 therapy, 136-1
BENZENE HEXACHLORIDE (666) 109e, 160e
BENZOYL DRYL, 59s, 133v
 therapy, 136-1
BENZIDINE, 36m

- BERYLLIUM**
toxicity, 117d
- BICYCLERS**, 22h
- BILE**
acids & salts, 48o, 58w
determ., 27n
secretion, 116n
- BILE DUCTS**
abnorm., 107v
dis., 26p
roentgenography, 98u
stricture, 18p
surgery, 18o, p, 78t, 82h
tumors, 55q
wounds & injuries, 54-1
- BILIARY TRACT**
calculi, 109m, 136j
dis., 26p, 29r, 89v
surgery, 18n, o
- BIOLOGY**, 103m
institutes
--American (proposed) 104q
wartime, 21o
- BIOPSIES**, 36i
rectal, 148n
- BIOTYPES**, 144c
- BIRDS**
parasites, 113m
- BISMUTH**
toxicity, 7n
- BLADDER**
cancer, 124w
cystoscopy, 89m
drainage, 77i
foreign bodies, 112g
rupture, 63b
regurgitation, 56a
wounds & injuries, 27n
- BLASTOMYCOSIS**, 28q
outaneous, 69r
epidemiol. & statistics, 135p
therapy, 30e, 58r, 96b
- BLIND**
amusements, 43r
education, 147i
employment, 43s
Braille reading, 43s
social security, 43r
- BLINDNESS**
etiol. & pathogen., 43p, 91g
prev., 149s
starvation, 36d
- BLOOD**, 13o, 26b
ageing, 1h
alcohol, 142j
antifibrinolysin, 120o
ascorbic acid, 71h
bile, 27n
bilirubin, 74u
calcium, 43j, 46b
carbon dioxide, 1n
carbon monoxide, 93a
carotene, 136w
chlorides, 21b
cholesterol, 86i
cholinesterase, 14o
circulation, 5o, 53g, 116q, 129d, 131c, 159o
--fetal, 84i
--history, 35g
coagulation, 3k, 16q, 23a, 29o, 49f, 60m, 91d, 112e, 116v, 120o, 126w
Congo red, 111e
dis., 118f, 132e
enzymes, 28m
fats & lipoids, 24q, 86i, 86e, 116s
fibrinogen, 71c
glutamic acid, 2e
groups, 12k, 82n, p, 120n, 130g
--racial aspect, 86n, t
--Rh, 12-1, m, 13n, 17i, 29b, j, 45h, 46k, 56s, 70q, 73g, 76a, 84q, 86m, 94c, 103w, 136a, 148k
in animals, 88q, 103s
iron, 38v
ketone bodies, 159o
nitrogen, 18f, 111h
oxygen, 48g
parasites, 99j, 120j
--in animals, 143p
phosphatase, 24m, 46b
picture, 4o, 20r, 155-1
plasma, 103q
proteins, 1w, 2v, 18j, 21s, 35n, 75k, 82m, 88b, 89j, 90s, 94-1, 94m, 116t, 117q, 120e
--racial asp., 109t
prothrombin, 3k, 16q
quinacrine, 18e
racial aspects., 109t
sedimentation, 101p, 156p
sulfonamides, 59q, 64-1
therapy, 126s
uric acid, 21b
volume, 73h
- BLOOD PRESSURE**
anesthesia and blood pressure, 2u
determ.
--in animals, 48d
low, 27i
retinal, 108w
variations, 48f, 92j
venous, 48p
- BLOOD PRESSURE HIGH**, 127j
blood circulation, 5c
diagn., 84r
etiol. & pathogen., 20a, 79w, 85i, 86a
idiopathic pulmonary, 28c
paroxysmal, 140a
pathol., 16n
temperature, 5c
therapy, 47s, 87s, 136i
- BLOOD SUGAR**
hypoglycemia, 75j, 133k
variations, 48i
- BLOOD TRANSFUSION**
auto-, 68q
cold agglutinins, 76s
opl. & seq., 13m, 17i, 22i, 47r, 141q
donors, 112s, t, 130g
history, 136t
in infants & children, 73g
indications, 19d, 24-1, 136t
plasma & serum, 13n, 81m, 139j
preserved blood, 13-1, m
substitutes, 34-1, 37c
- BLOOD VESSELS**, 62k, 131b
surgery, 157o
- BOBROV, A.A.**, 157n
- BOLOMETERS**, 146q
- BONE MEAL**
in human diet, 87a
- BONES**, 39b
abnorm., 85k
anat. & histol., 11-1
cancer, 62v
chem., 143i
deformities, 28d
embryol., 57g
fats & lipoids, 71g
fragility, 145q
growth, 1f, 11f, 1, 22e, 28t, 97a, 116k
marrow, 4o, 16q, 29-1, 92h
physical prop., 143h
roentgenography, 83p
sarcoma, 62t
syphilis, 26d
tumors, 30h, 1, 56g, 63b, 99q
- BOOK LICE**, 58i
- BOOPHILUS**, 104f
- BORON**, 63v
- BOTANY**, 17n
- BOTULISM**, 31w
- BOWEN'S DISEASE OF PENIS**, 123w
- BOXWOOD PESTS**, 56r
- BRACHIAL PLEXUS**, 54c
- BRAIN**
abnorm., 105d
abscess, 25r, 55b, 98g, 122-1, 127q
allergy, 49v
anat. & histol., 40s, 41d
atrophy, 32g, 106-1
cortex, 41e, 48n, 62c, 66-1

BRAIN (continued)

dis., 20-1, 86h, 136t
 eff. radiations, 28r
 electroencephalography, 32w, 35j, 106n, 144i, 144m
 --apparatus, 106m
 hemorrhage
 --in newborn, 130-1
 hydroma, 55g
 malacia of chioka, 160n
 metabolism, 119w, 121c
 pathol., 32h, 134q
 physiol., 48e, 88-1, 129e, 151k
 surg., 77k, 157c
 tuberculosis, 40h
 tumors, 30k, 76d, 90b, 98g, 105d, 148h
 volume, 57h
 weight, 57h
 wounds & injuries, 25q
 BREAD, 50q, 123f
 BREAST
 cancer, 26i, 28t, 139r
 --in animals, 35g
 --in males, 53a
 dis., 24a
 hypertrophy, 26p, 72v, 126k
 surgery, 19g
 tumors, 86w
 --in animals, 29k
 BRILLIANT GREEN, 109f
 BROMASPIRIN, 60w
 BROMIDES
 eff., 2h, 60j
 BRONCHI
 cancer, 134-1
 dilatation, 131i
 roentgenography, 128b
 spasms, 4b
 surgery, 31a
 BRONCHIECTASIS, 44j
 etiol. & pathogen., 141f
 therapy, 134k
 BRONCHOPNEUMONIA
 peduncular, 21p
 BRONCHOSCOPY, 98d, 132p
 BUCHU, 47m
 BUFFALO, 160s
 BURIAL, 93r
 BURNS, 56t
 opl. & seq., 86r, 141i
 kidneys, 56k
 therapy, 84a, 131r, 154n
 BUTANONES, 60r

CAFFEINE, 128-1
 CALAMINE, 151c
 CALCANEUM, fractures, 56-1
 CALCIUM
 arsenate, 142d
 deficiency, 43j, 117t
 eff., 2s
 metabolism, 11f, 45d, 63k, 71g, j, 118k, 129g
 CAMPHOR, 60t, 150o
 CANCER, 74e, 143r
 antiserum, 120i
 chem., 135a
 chorionic, 100f
 diagn., 81r
 epidemiol. & statistics, 78p, 137t
 etiol. & pathogen., 51g, 63-1, 104t, 113v, 114g
 experimental, 3r, 28t, 35g, 51g, 62d, 63j, 1, 117r, 119d
 genetics, 35i
 history, 121v
 in animals, 148t, 160h, o
 metabolism, 63k
 metastases, 134w
 pathol., 113v, 156e
 precancerous cond., 8k, 10v, 123w, 135i
 prev., 56h, 78u, 81c, 121u, v, 129p, 132j, 133i
 racial asp., 85c

regression, 148p
 social security, 121w
 therapy, 25h, 51t, 123n, 133c, 137r, 138k, 140i, 156d, f
 transmission, 28t
 transplantation, 124t
 CANNABIS, 52o
 CANNIBALISM, 76j
 CANNULAS, 87g
 CANTEENS (water-canteens) 142-1
 CAPILLARIES
 dis., 7q, 8g
 exam., 28c
 isoelectric points, 139p
 pathol., 117c
 permeability, 77q, 116q
 CAPILLAROTOXICOSIS, 102q
 CARBAMIDOPHENYLARSENIC OXIDE, 2-1
 CARBAMIDOVOLICOLINE CHLORIDE, 24n
 CARBON DIOXIDE, 39q
 metabolism, 49b
 CARBON MONOXIDE
 toxicity, 42i, 61p, 93a, 152u
 CARBON TETRACHLORIDE
 toxicity, 14v, 82-1
 CARBOHYDRATES
 metabolism, 3v, 84d, 118s, 121a
 CARBONATES, 64f
 CARBONIC ANHYDRASE, 119w, 121c, 142v, 156v, w
 CARBUNCLE, 32e
 CARDIOTHYREOSIS, 22o
 CARDIOVASCULAR DISEASES, 96q, r, s, 102s
 experimental, 117m
 CARDIOVASCULAR SYSTEM
 function tests, 15g
 CAROTENE, 64u, v, 103n, 117v
 CAROTID BOW
 tumors, 55t
 CAROTID SINUS, 101h
 CARROTS, 64u, v, 117v, 118m
 CARTILAGE
 transplantation, 27c
 CASEIN, 64o
 CASTS, 145k, 158g, i
 CATALASE, 155j
 CATARACT
 etiol. & pathogen., 140v
 experimental, 3s, 4h
 extraction, 43i
 senile, 26-1
 CATARRHAL FEVER of cattle, 159v
 CATGUT, 157-1
 CATEARTICS, 132n
 CATHETERIZATION, venous, 78d
 CATS, 160v
 CATTLE, 160s
 CAULIFLOWER WORMS, 57u
 CAVE FAUNA, 38c
 CE POWDER, 74n
 CECUM
 dis., 136e
 tumors, 22m
 CELIAC DISEASE, 82t, 87j
 CELLS, 57f
 chondriosomes, 116i
 chromatolyses, 29-1
 eff. radiations, 155j
 nuclei, 30-1, 155j
 physical & chem. prop., 142u
 CELLULITIS, 22p, 156h
 CELLULOSE
 bacterial, 39a, r
 oxidized, 117g
 CENTRIFUGAL SWING EFFECTS, 152g
 CEREALS, 103e, 119h, i, k, l, n, o, q
 chem., 1t
 CEREBROSPINAL FLUID
 bacteriol., 115o
 blood, 128h
 pathol., 137m
 sulfathiazole, 61k
 CESAREAN SECTION, 124r
 opl. & seq., 27n, 73p
 veterinary, 160t
 CETYL ALCOHOL, 150p

- CETYL PYRIDINIUM BROMIDE, 86c
 CHANCERE, 7-1, 133p
 epidemiol. & statistics, 141-1
 extragenital, 97j, 101f
 exudate, 14q
 therapy, 9, a, b, 31s
 CHANCROID, 112v
 CHARACTER, 52j
 CHAFY TREATMENT, 8p, 9d, t
 CHAULMOOGRA, 16k
 CHEMISTRY, 95t
 CHIARI-FROMMEL DISEASE, 124s
 CHICKENPOX, 76w
 bucco-pharyngeal, 92c
 cpl. & seq., 135q
 CHILDREN
 educ. & training, 79-1, 152n
 growth & development, 77f, 89i, 154q
 psychol., 21-1, 41r, s, t, u, 45v, 105-1
 CHLORINE, 65m, 106p, 115w
 CHLOROETHYLMETHYLAMINE HYDROCHLORIDE, 117k
 CHLOROETHYL SULFIDE, 3v, 77g
 CHLOROETHYLENE, 61m
 CHLOROFORM
 eff., 60a, 1
 CHLOROPHYLL, 140r
CHLORODIPHENYLTRICHLOROETHANE, 1q, 50n, 57u, v
 57w, 58b, c, e, g, h, i, 108-1, 113-1, 159w
 determ., 57t
 metabolism, 61b, 82e, 116-1
 pharmacol., 61b
 public health asp., 108r
 therapy, 8v
 toxicity, 15j, 18g, 23r, 38v, 47t, 61s
 uses, 57t
 CHOLERA
 antiserum, 114p
 epidemiol. & statistics, 36c
 history, 140f
 vibrio, 114q
 CHOLESTEROL, 117i, 140v
 metabolism, 20c
 CHOLINE, 59m
 acetylcholine, 3a, 47e, 61n
 antagonists, 2g
 benzoylcholine, 4q
 deficiency, 71-1
 eff., 29n
 in diet, 119u
 metabolism, 118p
 pharmacol., 2n, 19a
 toxicity, 24n
 CHOLINESTERASE, 3n, 48j, r
 CHONDRIUS, 2g
 CHOREA
 cpl. & seq., 106d
 etiolo. & pathogen., 135q
 CHROMATIN, 104-1
 CHROMATOLYSIS, 29-1
 CHROMIUM
 toxicity, 44m
 CHROMOSOMES, 38e, 103h
 staining, 38t
 CHRONAXIA, 149a
 CHYLE
 pathol., 18b
 CINCHONA
 alkaloids, 2q, 3b, 4a, k, 59f, 61i, 62f, 116p
 CINCHONINE carbostyryl, 62f
 CINCHOPHEN
 toxicity, 30v
 CITRATES, 94r
 CITRININ, 8k
 CIVIATE'S FIBROMA, 10v
 CIVIL SERVICE, 38q
 CLEOPATRA, 93e
 CLIMATE, 131c, 137v, 150d, 154q
 allergy, 150e
 CLITOCYDINE, 23c
 CLOWORCHIS sinensis, 24g
 CLOTHES MOTES, 58e
 CLOTHING
 impregnated, 153e, g
 tick-protective, 101q
 COAL TAR, 36k
 COBALT
 determ., 103e
 eff., 4n
 in diet, 71k
 toxicity, 122c
 COCAINE, 63q
 COCCIDIOIDOMYCOSIS, 26q
 COCCIDIOSIS, 127c
 COD LIVER OIL, 71j
 CODLING MOTHS, 57w
 COELMYCES, 109r
 COITUS, 73r
 COLD
 eff., 9c, 48-1, 62u, 124e
 COLITIS
 ulcerative, 138p
 COLLOIDS, 117s
 COLON
 cancer, 34d, 89f, 138c
 dilatation, 15v, 138p
 dis., 138n
 diverticula, 72h, 138c
 innervation, 48e
 surgery, 54v
 COLOR, 143f
 COLOR BLINDNESS
 heredity, 12n
 COLOR PERCEPTION, 43p, 104g, 146t, u
 COLOSTOMY, 32r
 COMEDONES, 8b, 7e, 8c
 COMPLEMENT
 fixation, 81b, 120t
 CONGO RED, determ., 111e
 CONJUNCTIVA
 blood vessels, 107g
 ecchymoses, 85f
 CONJUNCTIVITIS
 diphtheritic, 127g
 CONSTIPATION, 138p
 therapy, 132n, v
 CONSTITUTION, types, 144c
 CONTAINERS, inflatable, 39u
 CONTRACTURES, 25c, 157i
 ischemic, 20f
 CONVALESCENCE, 18f, 101-1
 physiol., 84i
 CONVULSIONS
 experimental, 61f
 in newborn, 130-1
 therapeutic, 22w, 32b, 32w, 41k, 84s, 85f, 106f, g
 106h, p
 therapy, 4m, 61g
 COPPER, 119d, 142s
 in diet, 71k
 metabolism, 63k
 --in plants, 39d
 CORAMINE, 28u
 CORNILLAU, ROBERT, 92e
 CORN GRITS, 118g
 CORN MEAL, 119k
 CORNEA
 anat. & histol., 137i, 138g
 Bowman's membrane, 146j
 hypoesthesia, 43-1
 pathol., 22e, 132h, 146j
 ulcers, 43k
 vascularization, 119s
 CORONARY SINUS, 62p
 CORONERS & MEDICAL EXAMINERS, 136c
 CORPUS GENICULATUM, 40t
 CORPUS LUTEUM, 11u
 CORPUS STRIATUM, 40s
 COSMETICS
 toxicity, 7e, v, 8b, c
 COSMIC RAYS, 38g
 COUMINGINE, 59-1
 CRAIG TEST, 127t
 CRANIOLOGY, 30t
 CRANIUM
 abnorm., 146d
 fractures, 37n, 89v, 97w, 115c, 157c
 surgery, 104w, 157q
 CRETINISM
 experimental, 121c

- CRIME & CRIMINALS, 121, 97s
 female, 145a
 psychol., 15w, 16a, 145a
 social asp., 74r
- CRIPPLES
 psychol., 105v
- CROCUS SATIVUS, 14e
- CRUSH SYNDROME, 82b
- CRUVEILHIER-BAUMGARTEN SYNDROME, 132-1
- CRYPTOSTEGIA, 64w, 65a
- CURARE
 eff., 61n
 therapy, 18t, 144h, 159e
- CUSHING SYNDROME, 26a
- CYANIDES, 62a, b
 toxicity, 59c
- CYANOSIS, 32c
 supra malleolar, 94q
- CYCLIC VARIATIONS, 39d
- CYCLOHEXANE, 104f
- CYCLOPROPANE, 60g
- CYSTEINE, 29p
- CYSTERN ACHYLII, 16b
- CYSTICERCOSES
 in animals, 113g
- CYSTS
 perirenal, 86d, 112f
- CYTOCHOL, 109f
- CYTOMYCOSIS, 141k
- DAKINIZATION, 85d
- DARAN, Jacques, 931, 94d
- DARIER-FERRAND DISEASE, 81, j
- DEAF
 education, 44d, e, 147m
 employment, 147m
 motor performance, 152f
- DEAFNESS
 etiol. & pathogen., 148b, 152f
 prev., 147p
 therapy, 91a, 147p
- DEATH
 causes, 50-1
 sudden
 --in infants & children, 45w
- DEFECTIVES
 education, 42a, 147i
- DEFICIENCY DISEASES, 119f, s, 131f, g
 in animals, 149h, 160n
 in infants & children, 150c
 nervous system, 24s
 subclinical, 30s
- DEGLUTITION
 disorders, 17h, 45w, 130v
- DEHYDRATION, 64g
 therapy, 134t
- DEHYDROGENATION, 142r
- DELAUNDE METHOD, 34t
- DELINQUENCY, 154g
- DELIRIUM
 epidemic, 401
- DEMENCIA PRAECOX, 105e
 diagn., 144v
 motor functions, 49q
 therapy, 18h
- DEMEROL, 59n
- DENOVUE, 31o, 127s
 opl. & seq., 31n
 diagn., 31p
 epidemiol. & statistics, 31m
 immunity, 29d
 spleen, 27j, 31o
 therapy, 31q
- DENTISTRY, 66d, 123g
 education, 122w, 123a
 for children, 6f
 forensic, 122t
 in Brazil, 6c
 in France, 67j
 in Great Britain, 66g
 industrial, 145m
 military, 5r, 66f, 122n
 naval, 37k, 142c
- preventive, 6d, k, m, 154g
 public health, 56p
- DEPOSITORS, 104w
- DEPRESSION, 34p
 recurrent, 100n
- DERMATITIS, 6g, 131r
 exfoliative, 69d
 experimental, 9e
 herpetiformis, 71, 100f
 in infants & children, 107r
 in swimmers, 113e
 new, 7d
 neurogenic, 70g
 oil, 7e, o, 8b
 purpuric lichenoid, 69i
 roentgen ray, 69q
 therapy, 9u
 venenata, 7e, o, 68i, u, 84e
- DERMATOLOGY, 30m, 87v, 123m
- DERMATOMYCOL, 68p
- DERMATOMYCOSITIS, 69-1
 in infants & children, 45f
- DESICOL, 159e
- DHE45, 60h
- DIABETES INSIPIDUS
 urination, 18w
- DIABETES MELLITUS, 58p
 acidosis, 35-1, 75u
 blood, 86i, 88e
 coma, 75u
 experimental, 11m, 29p
 in infants & children, 94f, 107t
 metabolism, 11m
 necrobiosis lipoidica, 69e, n
 pregnancy, 72m
 recurrent, 72n
 therapy, 26m, 92k, 131h
 tuberculosis & diabetes, 79v
- DIARRHEA, 136r
 etiol. & pathogen., 127c
 in infants & children, 231, 26a, 140c, 1501
- DIATHERMY, 34-1
 rectal, 72d
- DIATHESIS
 hemorrhagic, 16t, 155u
- DICROCOELIDAE, 88q, 113m
- DIET & DIETETICS, 51e, 119c, q
 adequate, 118k, 1221, 128f
 carbohydrates, 119e
 deficient, 118r
 disease & diet, 72i
 eff., 71o, d
 in Russia, 77a
 ketogenic, 99d
 military, 101e
 realimentation, 119t
 synthetic, 119u
- DIGESTIVE SYSTEM
 dis., 18b, 101a, 138r
- DIGITALIS
 eff., 32o, 60m
 standardization, 3o
- DIPHTHERIA
 antiserum, 110s
 antitoxin, 51d
 bacilli, 13m
 carriers, 75j
 chronic, 138q
 opl. & seq., 16g, 17h, 45n, 138h
 eye, 127g
 hygiene, 126t
 immunity, 83f, 116e, 127a, 129f
 pathol., 94b
 toxoid, 108p
- DIPLOPIA
 monocular, 144g
- DISABLED
 employment, 34g, 77h
- DISASTERS, 74d
- DISEASE
 in literature, 35a
 physical-mental relation, 67p, 138s
- DISINFECTION, 24-1, 106p
 iodine, 51f
 ultraviolet radiation, 51a

- DISTOMA, 113f
 DIURESIS, 4k, 59p, 601, 136-1
 cpl. & seq., 86w
 indic., 131d
 mercurhydrin, 60b
 DOGS
 dis., 149b, 160-1, v
 DREAMS, 145e
 DRESSINGS, 66t, 136e
 impregnated, 55i
 DROGERS, 73u
 DROSOPHILA, 104k, 1
 DRUGS
 admin., 3t
 discrimination, 59d
 eff., 49e, 64h, 95t, 127i
 eruptions, 3t
 legislation, 98r
 nomenclature, 151f
 preparation, 151a
 standardization, 2w
 toxicity, 3t, 150m
 DUREUIL (1746-1783) 91v
 DU CHESNE, Joseph, 92t
 DUCTUS ARTERIOSUS, 27k, 55m
 DUCDENUM
 abnorm., 136u
 obstruction, 100m
 stricture, 25n
 DUPUYTREN, 93m
 DURA MATER
 surgery, 157c
 DURAN-REYNOLDS FACTOR, 113w
 DUST, 15a, b, 57s
 DYES, 631, 109f, 142r
 therapy, 91u
 DYSCHONDROPLASIA, 108d
 DYSENTERY
 bacilli, 20p, 28-1, 37-1, 81a, 114p, 115d, 121i
 carriers, 115f
 diagn., 81b, 114s, 115e
 epidemiol. & statistics, 115e
 etiol. & pathogen., 115c
 immunity, 115g
 therapy, 21e, 28-1, 46u, 114u, 132i
 DYSMENORRHEA, 141a
 etiol. & pathogen., 116m
 therapy, 13a, 138s
 DYSTROPHY
 muscular, 126r
 scapulo-humeral, 97r
 EAR
 abnorm. & deform., 135e, 148d
 diseases, 161, 148c
 internal, 106o, 152f
 ossicles, 103r
 pathol., 107p
 physiol., 44s
 roentgenography, 156k
 EARPLUGS, 148c
 ECLAMPSIA, 124u
 ECONOMICS MEDICAL, 23p, 24u
 in Great Britain, 77c
 plans
 --Ass. Med. Serv. Inc., 78v
 ECTODERMAL DEFECT, 78s
 ECZEMA, 90c
 cpl. & seq., 10d
 experimental, 9e
 EDEMA, 127n
 etiol. & pathogen., 39p, 93g, o
 EDUCATION, 38r, 39c
 auditorial, 49t
 co-education, 152m
 psychol., 152e, j, m
 visual, 49t
 EDUCATION MEDICAL, 25e, 34i
 history, 78w
 EFFORT TOLERANCE, 15g
 EGGS
 egg-laying, 119s
 toxicity, 51b, 121g
 EGGWHITE, 159p
 EHRLERS DANLOS SYNDROME, 23m
 ELBOW
 ankylosis, 27g
 fractures, 155v
 wounds & injuries, 26j, 156s
 ELECTRICITY
 eff., 49i
 ELECTRODIAGNOSIS, 99k
 ELECTROLYTES, 38-1, m, n
 ELECTROPHYSIOLOGY, 49i
 ELECTROSURGERY, 69b
 ELECTROTHERAPY
 pathol. eff., 85f
 ELEPHANTIASIS, 10n, o, 99-1, 135e
 endemic, 7k
 EMBOLISM, 64r
 diagn., 16t
 paradoxical, 128g
 pulmonary, 97q
 therapy, 87v
 EMBRYOLOGY, 57g
 human, 80s
 organizer, 49f
 EMERGENCIES, 154f
 hospitals, 74d
 EMOTIONS, 49r, 105k, u, 107a, 152i
 pregnancy, 106r
 EMPYEMA
 interlobar, 42j
 therapy, 95r
 EMULGENTS, 151a
 ENCEPHALITIS, 41a
 etiol. & pathogen., 32v, 33d, 34i, 135q
 leukoencephalitis, 106o
 ventriculitis, 86h
 ENCEPHALOMALACIA of chicks, 160n
 ENCEPHALOMYELITIS, 150b
 diphtheritic, 17h
 ENCEPHALOMYELITIS EQUINE, 26r, 120d
 ENDAMOEBIA histolytica, 4d
 ENDARTERITIS
 infectious, 81u
 obliterans, 32d
 ENDOCARDITIS
 diagn., 70t, u
 infectious, 5f, 16m, 24t, 32e, 33a, 75-1, 82u, 128i
 therapy, 19e, 35k
 ENDOCRINE GLANDS, 23s, 130b
 dental asp., 6o
 dis., 66a
 ENDOCRINE THERAPY, 11w
 dosage, 11u
 ENDOCRINOLOGY, 124k, 134q
 ENDOMETRIUM
 pathol., 124m
 tuberculosis, 11d
 ENEMATA, 35d, 72j
 ENERGY, 38g, 48m
 ENTOMOLOGY
 military, 101m
 ENVIRONMENT, 41o
 ENZYMES, 38h, 62-1, 104q, 155j
 proteolytic, 117h, 121j
 EOSINE, 7c
 EOSINOPHILS, 15s, 35-1, 94q, 98n, 101s, 110c, 111b, g
 128o, 137m
 EPHEDRINE
 eff., 48j
 EPIDEMIOLOGY, 98t, 137v
 in Russia, 114c
 insect-borne dis., 100u
 military, 102p
 EPIDERMOLYSIS bullosa, 7v, 68g, 69h
 EPIDIDYMITIS, 112a
 tuberculosis, 130d
 EPILEPSY, 144c
 chronaxia, 149a
 in animals, 159s
 jacksonian, 96m
 therapy, 92s, 95t, 106k
 EPITHELIUM, 28j

- EQUILIBRIUM**
 in insects, 38s
ERGOT, 124c
 alkaloids, 151f
 dihydroxyergotamine, 60h
ERYSIPELAS, 127h
 cpl. & seq., 10n
ERYSIPELOID, 68h
ERYTHEMA
 annulare, 8u
 induratum, 8-1, 66j
 infectiosum, 27b
 multiforme, 7g, h, 8d, n, 9v, 70e, h, 107k
 nodular, 9p, q, 10a, b, c
ERYTHROBLASTOSIS
 fetal, 29c, 73g, 76a, 80d, 94c, 135o, 150a
ERYTHROCYTES, 13-1, 45g
 stroma, 29j
ERYTHRODERMA, 27s
 etiol. & pathogen., 68q
ESOPHAGUS
 cancer, 54j, 155q
 dis., 156b
 stenosis, 135r
 surgery, 28a, 31e, 99p, 139o
 roentgenography, 156b
 varices, 133-1
 wounds & injuries, 147v
ESTROGENS, 136s
 circulating, 11n, s
 determ., 76m, 104a
 eff., 11g, 1, 30v, 58v, 88j
ESTROGENS
 metabolism, 61m
 physical prop., 93b
 therapy, 28m, 62v, 92r, 133-1, 160h
ETHER, 47a
ETHER INHALERS, 89g
ETHICS, 93s, 104t
ETIMIDO-ANTRITIS, 44j
ETHYL CARBAMATE, 59d
 therapy, 24k
 toxicity, 117b
EUGENICS, 52s, u, 12r
EUCALYPTUS, 65c
EVOLUTION, 38b, 103d
EXERCISE
 apparatus, 158h
 diet, 71d
 eff., 18v, w, 159c
 psychiatric asp., 106s, t, u
 therapeutic, 50f
EXOPHTHALMOS
 etiol. & pathogen., 30o, 56q
EXOPHTHALMOMETER, 146-1
EXOSTOSES
 multiple, 108d
EXPECTORANTS, 59m
EXPLOSIONS, 144-1
 eff., 87c
EXPLOSIVES, 74n
EXTREMITIES
 artificial, 143t
 blood supply, 83s
 efficiency tests, 91m
 wounds & injuries, 157j
EXTREMITIES LOWER
 joints, 63b
EXUDATES & TRANSDUTES, 117p
EYES
 abnorm., 43m, 107j
 accommodation & refraction, 42u, 107j, 137p
 146-1, r, 147c, 152f
 artificial, 129s
 bacteriol., 137u
 cancer, 155q
 diagn. sign., 20-1, 30k, 80n, 135a
 dis., 37m, 107m
 endocrine rel., 130b
 foreign bodies, 145u
 hygiene, 154e
 irrigation, 142-1
 onchocerciasis, 52q
 photography, 107f
 protection, 147j
 surgery, 26-1, 67s, 107-1
 tuberculosis, 94a
 tumors, 155q
 wounds & injuries, 22n, 42f, 136n, 146k, 147i
FACE, 124s
 asymmetry, 80i
 prostheses, 18v
 surgery, 67i
FALLOPIAN TUBES, 57n
 tumors, 124v
FAMILY
 welfare, 154d
 --in Netherlands, 51i
FAMINE
 blood transfusion, 24-1
 edema, 39p
FASCIOLA hepatica, 24e, h
FASTING, 2b
FAT
 in diet, 116m, 150r
 metabolism, 34c, 71g
FATIGUE, 78t
FAVUS, 70b
FEAR
 in animals, 149b
FECES
 chemistry, 64d
 exam., 96d, 99b, 148m
 soaps, 72c
FEELINGMINDNESS
 education, 42a
FEMUR
 fractures, 26s, 28e, 37j, 54t, 101d, 139n, 141d
FETUS
 membranes, 1c, 124u
 parasitic, 55j
FEULGEN TECHNIQ, 38t
FEVER
 etiol. & pathogen., 21c
 in infants & children, 45s
 obscure, 133k
 seven-day, 127s
 therapy, 4s, 60t
FIBERGLAS PACKS, 136c
FIBRIN, 91d
FIBRINOLYSIS, 120o
FIBULA
 fractures, 22n
 osteomyelitis, 36q
FILARIASIS, 19s
 epidemiol. & statistics, 16f
FILTER PAPER, 15c
FINGER GAPS, 104v
FINGERS & TOES
 dis., 63d
 surgery, 158b
 thumb reconstruction, 55b
 wounds & injuries, 158d
FISHES, 38c, 49g
 artificial fertilization, 104g
FISTULA
 arteriovenous, 78r
 biliary, 56r
 bronchocutaneous, 80m
 cholecysto-duodenal, 76g
 colic, 82f
 renocolic, 54e
 vesicovaginal, 77a
FLANOL C, 86c
FLAHERT, 91v
FLIES
 eradication, 47h
 transmission of dis., 115a
FLOUR, 28c, 50q, 61w, 119h, 1, k, l, n, o, q
FLUIDS, 101k
FLUORENE, 3r, 62d
 metabolism, 2e
 toxicity, 71q
FLUOROACETATE, 3j
FLUOROPHOSPHATE
 di-isopropyl, 3-1, n, 58u, 59g, 1, p, 60o
FOLLICULITIS, 8p, 69w

- FOOD
allergy, 8a, 27d
analysis, 84f
poisoning, 51b, c, 109a
- FOOT
dis., 94q, 24c
flat, 14d
fractures, 53h
trench, 101p
tumors, 10t
wounds & injuries, 91u
- FOREARM
fractures, 31h
- FOREIGN BODIES
in air and food passages, 45w, 141f
--in animals, 148w, 160w
- FORESTRY WORKERS, 74-1
- FORMULARIES, 150n
- FOUL
dis., 160n
- FRACTURES
opl. & seq., 95m
diagn., 53w
healing, 19c, 97a
march, 54a
pillion, 28d
pseudofracture, 36n, 157u
retarded or occult, 53w
therapy, 26k, 32d, 141t
- FRAMBESIA
therapy, 86m
- FRIGHT DISEASE of dog, 149b
- FRONTAL BONE
osteomyelitis, 55b
- FROSTBITE, 91u
pathol., 94c, 117d
- FRUITS & VEGETABLES, 80q
- PARRAFFINAGE, 17u
- FUCIE, 105v
- FUMARIACEAE
alkaloids, 2-1
- FUNGI, 55p, 58k, 1, m, s, 64c, r, 69a, 103n
culture, 86p
parasitic on larvae, 109r
- FUNGICIDES, 58h
- FUSARIUM, 143p
- FUSCISPIROCHETOSIS, 6u, 142i
therapy, 46f, 99r
- GAILBLADDER
calculi, 16c
dis., 16n, 55m, 87n, 99d, h
physiol., 18u
roentgenography, 54a, 72c, 99c
- GAMALEIA, N.F., 113p
- GAMES
badminton, 52k
- GAMMA RAYS, 156a
- GAMMAXANE, 104f
- GANGRENE
etiol. & pathogen., 134v
gas, 27p, 361, 102r, 115p, q, r, 156c
idiopathic, 69a
ischemic, 136f
prevention, 157j
therapy, 157f
- GAS
poisoning, 3v, 77g, 117f, 133c, 142h
- GASTROINTESTINAL SYSTEM
dis., 1p, 51c, 721, 81u, 89n, 98t
hemorrhage, 27u, 54b
suction, 90p
tumors, 99t
- GEIGER MUELLER COUNTER, 155c
- GENITALS, 57d
abnorm., 13b
dis., 10n, 97b, 99-1, 123w
pigmentation, 20s
psychol., 105m
tuberculosis, 33k, 54q
- GENITOURINARY TRACT
calculi, 20a
dis., 1p, 133r
surgery, 111u, v
- GEOGRAPHY MEDICAL, 104r, 150c, d
Chile, 25u
Corsica, 80f
India, 84j
- GEOLOGY, 103v
- GERIATRICS, 138q
preventive, 23v
- GERMIDIDES, 8d, 27d, 39q, 47g, 62g
- GHEE, 103c, f
- GILLOT'S ANTISEPTIC, 36s
- GLASS, 39c
- GLASSES
colored, 146u
contact, 42u
--solution, 42s
- GLAUCOMA
etiol. & pathogen., 69c
therapy, 26-1, 43h, 59q
- GLOBULIN, 16j, 117c
- GLOVES, 102t
- GLUCIDES, 93a
- GLUCOSIDES, 59u, 60p, 110i
- GLUTATHIONE
eff., 29p, 481
- GLYCERINE
eff., 127b
- GLYCOLS, 4g
- GOITER, 91c
opl. & seq., 43e
etiol. & pathogen., 28b
mediastinal, 55n
- GOITER EXOPHTHALMIC, 7u, 96f
opl. & seq., 22c, 29s
in infants & children, 11f
recurrent, 11g
- GOLD
therapy, 85p, q
toxicity, 65q, 91h, 111g
- GONADOTROPINS, 58v, 140b
chorionic, 11j
equine, 11j
- GONORRHEA
opl. & seq., 10b
diagn., 81j
therapy, 7s, 10j, 23u, 70n, 79s, 92s, 112r, 123q, u, 133q
- GORGODERA, 113g
- GOULARD, THOMAS, 94d
- GOUT, 81r, 85t
- GOWER'S DISEASE, 135q
- GRAIN, 119h, 1, k, 1, n, o, q
- GRAMINACEAE, 132b
- GRANULOCYTOPIA
etiol. & pathogen., 128n
idiopathic, 79c
splenic, 27r, t
therapy, 27q, 91h
- GRANULOMA
annulare, 7f, 691, n
eosinophilic, 301, 70j
inguinale, 9r, 66q, 113v, 120f
- GRAPES, 80q
- GRONTH
adolescent, 691
diet, 119q
experimental studies, 19a, 72c
factors, 64m, 140-1
- GUILLAIN BARRE SYNDROME, 22f, 85a
- GUMS
dis., 67w
innervation, 28j
surgery, 137r
- GUYOT, JULES (1897-1872) 92f
- GYNCOLOGY, 23s, 46g, 81c
history
--in Mexico, 56e
radiotherapy, 53u
roentgenology, 83q

HAIR

color, 92a

HAIR DRESSING, 7e, o, 8b, o

HAIR DYES

toxicity, 7r, 8c

HALES, STEPHEN, 90q

HALLUCINATIONS, 145d

HANAU'S LAWS, 66b

HAND, 63c

amputation, 141p

dermatitis, 68u

dis., 7d

movements, 41m, 156h

roentgenography, 89-1

wounds & injuries, 158a

HANDICAP, 49m

HANDWRITING

re-education, 141p

HAPLOGORANGIN, 133c

HAPTENS, 114c

HARROWER TEST, 107b

HAY FEVER

epidemiol. & statistics, 20v, 86v

HEAD

wounds & injuries, 43g, 100-1, 106a, o, 115c

142g, 157a, b, d, q

HEADACHE, 76a

etiolo. & pathogen., 96c, 100-1, 112u

HEALTH

education, 28f, 50k, 133w, 134b

resorts, 80f, 81u, 131b, c, e, f, g, b, k

HEARING, 148b, 152c

physiol., 44s

HEART

abnorm., 34w, 149p

anat. & histol., 140e

beat, 155c

block, 27t, 56a

blood vessels, 117c

chem., 3g

dilatation, 63p

dis., 22c, 33s, 47q, 78d, 79r, 96s, 106u, 132f, 139d

eff. drugs, 2t, 31, 4f, 1, p, 56-1, u, 60g, 1, p, 62c,

63q, 1101

electrocardiography, 3g, 4v, 5a, d, e, 16p, 29g,

62a, 63r, 75f, n, o, 76j, 132m, 155c

extract, 33s

foreign bodies, 55w

function tests, 78d

in animals, 140e

infarction, 35c, 75m, 80g, 117c

insufficiency, 60b, 62c, 75k, 89u

ischemia, 117c

metabolism, 3e, 29h

physiol., 110v, 140e

rate, 4w, 5e, 27t, 45f, 75n, o, 127-1

surgery, 62p

HEAT

eff., 1-1, 62u, 116c, n

production, 62m

regulation, 621

stroke, 97h

HEATING, 103-1

HELMINTHS & HELMINTHOSES, 127m

HEMATHEMESIS, 45q, 86r

HEMATITE, 15a, b

HEMIANOPIA, 43k, 131t

HEMIPLEGIA, 92r

HEMOGLOBIN, 59c, 42b, 82m, 120n

determ., 89w

surveys, 17d, 71s

HEMOGLOBINURIA

paroxysmal, 126m

HEMOLYSIS, 128v

HEMOPHILIA, 90v

heredity, 12n

therapy, 93v

HEMOPHYTOSIS, 111s

HEMORRHAGE

opl. & seq., 13f, 27g

etiolo. & pathogen., 29e

perirenal, 156q

therapy, 112e

HEMOSTASIS, 91d, 112e

HEPARIN

therapy, 83a

HEPATORENAL SYNDROME, 19f

HERBORISTS, 17n

HEREDITY, 12m, n, 36c, u

in dis., 9j, 12n, 17-1, 351, 97r

mechanism, 12n, o, 104e, m, 155-1

HERNIA

diaphragmatic, 27u, 100m, 1291

inguinal, 54u, 99j

lumbar, 54r

strangulated, 90b

therapy, 99c, 135-1

HERPES

zoster, 7p, 77h

HETERAKIS, 88c

HEXYL AMINES, 28p

HIP

surgery, 158e

wounds & injuries, 141u, 158a

HIPPOKRATES, 92u

HISTAMINE, 9c

antagonists, 4b, 32c, 60u

cutaneous, 124e

eff., 3d

ther., 8a, 9n

HISTIOCYTES, 57f

HISTOLOGY, 57-1

methods, 1011

HISTOMERES, 102f

HISTOPLASMIN, 133c

HISTOPLASMOGOSIS, 141k

HODGKIN'S DISEASE

in infants & children, 321

intestines, 89e

HOFFMANN HABERMANN'S DISEASE, 68q

HOLARRHENA

alkaloids, 103d

HOMEOPATHY, 14h, i, 73u

HOMEOSTASIS, 16c

HOMICIDE, 15w, 16a, 72r, s, 144u

HOOKWORM INFECTION

blood, 88-1

epidemiol. & statistics, 35-1, 101s

in infants & children, 37n

HORMONES

metabolism, 72m

sex, 83f, 136s

therapy, 11s, t, u, w, 46g

HORSES

dis., 25c

HOSPITALS, 74d

admin., 125q

beds & bedding, 86e, o, 95b

blood transfusion service, 124k

cancer, 74d

communicable dis., 86e, 125c

dental serv., 8-1

diagnostic serv., 42p

dietetics, 125q

equipment, 1251

hematological serv., 13c

hygiene, 125c

in Brazil, 6-1

in France, 94n

in Lille, 1251

in Mexico, 98u

in Milwaukee, 74g

in Poland, 137j

in United States, 1541, 159a

in Wisconsin, 74h

insurance, 125c

libraries, 94w

maternity, 124k

military, 31k, 100g

naval, 144k

ophthalmological, 146m

pharmacy, 125r

physical medicine, 125c

poliomyelitis serv., 125k, 1, m, n

postwar, 74c

psychiatric, 14k, 1, 100g, 1361, 144c, u, 145a, q

psychiatric serv., 791

public relations, 14k

records, 741

HOSPITALS (continued)

rheumatic fever serv., 130k
rural, 134i
shock serv., 101q
staff, 125a
tuberculosis serv., 87m
veterans', 74k
visitors, 42i
war measures, 74g

HOUSING, 97s

HUMERUS

fractures, 35u, 155v, 158j
supracondylar process, 62s

HUNGER

psychol., 152r
HURST'S REACTION, 113r
HYALURONIDASE, 63c, 104q
HYBRIDITY, 104m
HYDANTOINS, 61g

eff., 4m

HYDRARTHROSIS, 83g

HYDROCEPHALUS

external, 55g
maternal diet, 119b

HYDROGEN

peroxide, 78c

HYDRONEPHROSIS, 26q, v

etiolo. & pathogen., 31h, 156r

rupture, 156a

HYDROPHOBIC, 116r

HYPERTENSINASE, 28m

HYPNOSIS, 105q, 151p

HYPOTHALAMUS

dis., 41i

ICHTHYOSIS, 9j

IMAGINATION, 39j, 105-1

IMIDAZOLES, 21, 116n

IMMATURITY, 77f

IMMOBILIZATION, 62u

IMMUNITY, 36s, 37c, 113t, 114i, 120j, k

forensic asp., 72r

mechanism, 114k

IMMUNOCHEMISTRY, 120n

IMPETIGO, 80v

IMPOTENCE, 131t

etiolo. & pathogen., 10d

IMPREGNATION, 11v, 19c

artificial, 104g

INCINERATION, 94s, 101d

INDIANS

welfare, 73c

INDUSTRY & OCCUPATIONS, 154d

absenteeism, 74q, 145c

dis. & pois., 15h, 44m, 68i, 74m, 93-1, 131r,

132d, e, f, 155-1

female employees, 13h, 74-1

hygiene, 15a, b, h, 34h, 52m, 74-1, 125u, 126b, 145n

medicine, 6n, 15e, f, 74-1, 80g, 84e, 98s, 145m,

147h, i, 154e, f

INFANT WELFARE

in Peru, 73b

INFANTS

dis.

--in France, 17w

feeding, 46c, 97c

mortality, 45u, 52p

nutrition & disorders, 99n, 107p, 127i

premature, 28u, 150h

toxocosis, 16d

INFANTS NEWBORN, 130-1

blood, 38v, 46b

blood circulation, 84i

dis., 145r, 150i

hyperthermia, 107s

infections, 42j

INFECTION

etiolo. & pathogen., 20e

focal, 135j

pathol., 114c

INFLAMMATION, 25t, 79p

experimental, 29f

metabolism, 29f

therapy, 88b, 91c, 128q

INFLUENZA

cpl. & seq., 141e

diagn., 113s

epidemiol. & statistics, 113u

experimental, 117-1, 121h

immunity, 109c, 113s, 114-1, m, 121h

pathol., 114k

reinfection, 121h

therapy, 21f, 52c, 82r, 141e

vaccine, 121f

virus, 114-1, m, 120-1, 121f

INFRA RED RAYS, 146s

INHIBITION, 152w

INJECTIONS

intravenous, 87g, 117s

--in infants & children, 80a

INSANE, 106c

dis., 106r

INSANITY, 144-1

confusional, 22m

etiolo. & pathogen., 41c

induced, 40i

interpretational, 92r

malingering, 105n

reactional, 34c

therapy, 87n

INSECTICIDES, 47h, 57u, v, 58a, b, c, 103c, 109e

153e, g

aviation, 14q

repellants, 1u

INSECTS, 36s, 104b, 116g

bites, 31-1, u

blood, 103s

control, 50n

eradication, 58f, 101m, u

transmission of dis., 100u, 101-1

INSTRUMENTS, 27f, 104w, 143t

for penicillin therapy, 78u

repositor (uterine) 13i

veterinary, 159t

INSULIN

crystalline, 120p

eff., 24q, 47c, 48i, 59n, p, 60s, 93a, 111b

storage, 4c

substitutes, 92k

therapy, 17f, 72-1, 140a

INSURANCE

accident, 32a

physicians' insurance, 89s

sickness, 79j, 108u, 145j

INTELLIGENCE, 12q

INTESTINES

anastomosis, 54v

cancer, 55a, 56m

dis., 7w, 19u, 98c, 114v, 138g

--in infants & children, 23i

diverticula, 96c, 138c

eff. drugs, 61s, 62i

hemorrhage, 33s

infection, 22p

motility, 3d, 127b

obstruction, 34t, 82v, 88w, 96k, 100m, 128f

131s

parasites, 33n, 84n, 96a, 148m

--in birds, 113m

pathol., 29k

surgery, 27w, 32m

tuberculosis, 127c

tumors, 54k, 127v

volvulus, 36g, 77g, 149q, 156h

INTUSSUSCEPTION, 33u

etiolo. & pathogen., 54k

IODINE, 51f

therapy, 27d, 68v, 95f, 107u

IODINE NUMBER, 64r

IODOMETRY, 58r

ION TRANSFER, 39c

IONIN, I.D., 115m

IRIDOCYCLITIS, 146j

IRIS

absence, 30j

coloboma, 43m

inflammation, 17i

surgery, 43i

IRON

determination, 64d, 103e
in diet, 71k
metabolism, 29f
radioactive, 117a, 118g
therapy, 93u
ISONIPECAINE, 61w
ISOSPORE, 127c

JAPANESE BEETLE

dis., 58f

JAUNDICE

catarrhal, 22t, 31f, 82k, 102a, 120k, 145i, j
153h, i, j, k, m, n, o, q
diagn., 24b, 87d
etiolo. & pathogen., 21q, 94c
hemolytic, 134p
intermittent, 107v
obstructive, 86p
virus, 17o, 120k

JAWS

alveolar ridge resorption, 67e
alveolitis, 6-1
anat. & histol., 6r
blood supply, 28i
cancer, 67b
cysts, 66n
dis., 66o, 67u
fractures, 6r, 35a, 66w
osteomyelitis, 6u, 22e, 44-1
surgery, 67i, 81m, 137r
tumors, 66n, s
wounds & injuries, 81m

JEWS, 105r

JOINTS

abnorm., 85k
anat. & histol., 121o
ankylosis, 18c, 27g
dis.
--in animals, 148u
immobilization, 62u
orientation, 63b

JUDGMENT, 152t

JURISPRUDENCE MEDICAL, 19h, 23w, 75h, 99h, 122t

144d
homicide, 72r, s
JUTE, 38s

KACLIN, 46w

KAPOSI'S ANGIOMA, 10m, 123s

KERATITIS

nummular, 107e
KERATOCONJUNCTIVITIS
etiolo. & pathogen., 107k

KERATOSIS, 10t, 69h, p

etiolo. & pathogen., 69f, 83t

KETONES, 65j

KIDNEYS

abnorm., 124s, 129w
anat. & histol., 57d
blood supply, 93-1
cancer, 33m
calculi, 129q
capsule, 112b
cysts, 41m, 112f
dis., 10c, 26q, 79v, 115i, 129g
--in infants & children, 22p
displacement, 156q
fremitus, 26v
glomeruli, 117s
hemorrhage, 71-1
insufficiency, 13g, 129w
necrosis, 13f
pathol., 117b
physiol., 16n, 18v, w, 57i, 117s, 129g
surg., 102h
tumors, 54c, 112b, 156p, q

KNEE

cysts, 22k
dis., 16j, 83g, 156o
effusion, 53u
osteoarthritis, 63a
wounds & injuries, 32i, 92i, 93-1, 158c
KURCHI, 103d

LABOR

cpl., 34q, 73k, 139u
conduct, 124c
drugs, 58w, 73e, 124o
forecops, 132i
management, 34t
painless, 146g
presentation, 34r, 86j, k

LABORATORIES

bath, 64i

LABORATORIES, PUBLIC HEALTH

in Canal Zone, 70q
in France, 17v

LABORATORY ANIMALS

primates, 35o

LACRIMAL ORGANS

surgery, 43c, 86g

LACTATION

diet, 119e, o, u
disorders, 124s

LACTONES, 59s

LACTOSE, 118k

LAGOPHTHALMOS, 83t

LANGERHANS' CELLS of cornea, 137i

LANGMUIR'S CONCEPT, 108h

LANGUAGE

translation, 49m

LARYNX

cancer, 44v

dis.

--in infants & children, 22u

paralysis, 25a, 44k, m, 105f

tuberculosis, 89a, 141b

tumors, 44h, p

wounds & injuries, 44m, 147w

LATEX, 64w, 65a

LATHYRISM, 24m

epidemiol. & statistics, 21b

LAURENCE-MOON-BIEDL SYNDROME, 22g, s

LAVERAN, 93i

LEAD

metabolism, 15a

LEARNING, 49t, 152e, p, q, s, v, w

experimental stud., 49w

psychol., 108g

LECITHIN, 121-1

LECITHINASE, 121-1

LEECHES, 44t

LEGISLATION, 147e, 104q, 21w

in United States, 69h, 26d

in Great Britain, 24n, 17j

LEG-LIFT, 52h

LEGS

fractures, 22n, 101i

LEISHMANIA

cult., 68o

LEISHMANIASIS

diagn., 126h, 148f

epidemiol. & statistics, 8s

experimental, 61o

therapy, 29f, 60-1, 110a

vaccine, 15r

LEMPERT OPERATION, 91a

LENS CRYSTALLINE

displacements, 136n

opacities, 43j

pathol., 140v

LENS MARKER, 142-1

LENTICULAR NUCLEUS

degeneration, 89c

LENTIGO, 69t

LEPROSY

- alopecia, 135h
- bacilli, 132s
- breast, 128k
- colonies, 128n
- opl. & seq., 8v
- cures, 76q
- diagn., 128i, m
- experimental, 135n
- eye, 128f
- feces, 86u
- juxta-articular nodes, 68w
- nervous system, 126g
- nose, 126-1
- pathol., 85i, 128e
- prev. & control, 128d
- serology, 128m
- therapy, 68e, 86k, 126-1, n
- tuberculoïd, 128h

LEUCONOSTOC, 103c

LEUKEMIA

- cryptoleukemia, 95a
- lymphatic, 10q, 35s, 124a, 139w
- monocytic, 27a, 74n
- myeloid, 28b, 149p
- therapy, 24k

LEUKOCYTES, 117p

- count, 160a

LEVANS, 28n

- LIBRARIES MEDICAL, 128o, 132u
- in France, 94d

LIGENSURE

- herborists, 17n

LICHEN

- planus, 8h, 68k, 69j, w, 70m

LIFE, 102f, 150s

- duration, 155b

LIGAMENTS

- cysts, 73q

LIGHT, 80p

- injur. eff., 145o
- perception, 144g
- photoperiodism, 38s

LIGHTING, 107f, 146r

LIPIDOSES, 49d

LIPIDYSTROPHY, 24q

LIPIDS, 49d, 64r, 117i, 118-1

- cardiolipin, 76e
- metabolism, 116s

LIPS

- cancer, 6i, k, 17f, 135i
- dis., 10n
- frenum, 5q
- surgery, 66r

LITERATURE, 35a, 94s

- of psychology, 152i
- scientific, 39m

LITERATURE MEDICAL, 132u

LITHOTRITE, 112a

LIVER

- abscess, 27r
- anat. & histol., 82q
- cancer, 28f, 35h, 85c
- cirrhosis, 20u, 71p, 78e, 95w
- in infants & children, 16h
- cysticercosis, 113g
- cysts, 91o
- dis., 27r, 29r, 89j, 136j
- enzymes, 59f
- fats & lipoids, 116s
- function, 35h, 112u
- function tests, 117a, 141m
- hypertrophy, 107t
- in diet, 119t
- insufficiency, 139s
- pathol., 3a, 14v, 28p, 29a, 35h
- physiol., 127h
- tuberculosis, 90g
- tumors, 119d, 135k

LOEFFLER'S SYNDROME, 94q

LOVE, 92f

LUCIFERASE, 46v

LUMBOSACRAL REGION, 26u

LUNGS, 34u

- abscess, 134u, 141f, 142b
- ascariasis, 110o
- blood supply, 53g, 62k
- calcification, 133c
- cancer, 18s, 21t, 84t, 134-1, w
- collapse, 20r, 56s, 132p
- cysts, 134-1
- dis., 78i, 100r, 111h, 130n
- edema, 5b, 61v, 129m
- eff. drugs, 4f
- foreign bodies, 97i
- function test, 111k
- innervation, 32f
- milk bolus, 45w
- pathol., 15s, 94q, 110o, 111g, 114k
- physiol., 48p, 110v
- pressure, 48p, 53g
- pressure-volume diagram, 48c
- roentgenography, 33o, 53n, 77w, 98c, 110q
- surgery, 55n, 100r, 132p, 134k
- tumors, 134k
- wounds & injuries, 36m

LUPUS

- erythematous, 70e

LYMPH NODES

- dis.

- in animals, 160-1

TUBERCULOSIS, 111f

LYMPHATISM, 131f

LYMPHOCYTES, 18j

- count, 27r, 127o, 148k

LYMPHOGANULOMA VENEREUM, 95k, 114r

- associated dis., 75-1

DIAGN., 112v, 113v

IMMUNITY, 120t

THERAPY, 72f, 121b

VIRUS, 25v

LYMPHOID TISSUE

- therapy, 147q

LYSINE

- microlysine, 46d

MACULA LUTEA, 146t

MAGENDIE, Francois (1783-1855) 94i

MAENESIA, 64g

MAGNESIUM

- trisilicate

MALARIA, 19r, 102d

- avian, 109v, 59e, 61u

BLOOD, 1w, 74u

CEREBRAL, 127-1

OPL. & SEQ., 19j, 31k, 90h, 127m

DIAGN., 110e

EPIDEMIOLOG. & STATISTICS, 19j, 37i, 153r

ETIOLOG. & PATHOGEN., 18e

HEART, 127-1

INDUSTRIAL ASP., 15f

KIDNEY, 127k

IMMUNITY, 119v, 120g

IN PREGNANCY, 74v

NAVAL ASP., 15-1

PATHOL., 78o

PHARMACOL., 109v

PLASMODIUM, 2n, o, p, 51n, 75v, 110c, i

--RHADINARUM, 58q

PREV. & CONTROL, 47r, 74w, 86g, 101m, 102-1

SAURIAN, 58q

SPLEEN, 56r, 110j

THERAPEUTIC, 62e

THERAPY, 2o, p, q, v, 37k, 59b, f, 60m, 61j,

62f, 65e, f, g, 65a, t, 96c, 97c, 109v,

110b, 116p, 134b

TRANSMISSION, 19u

MALINGERING, 105n, 131u

MALPRACTICE, 89s

MAN, 39-1

PRIMITIVE, 41n

MANAGEMENT, 38q

- MANARDI, 92n
 MANGANESE
 deficiency (in plants) 103v
 determ., 64e
 MANGE, 180e
 MARINE FAUNA, 104p
 MARINE MEDICINE, 130u, 77b
 MARRIAGE
 & mental dis., 106e
 premarital exam., 52u
 statistics, 155b
 MASK, 96e
 MASTICATION, 37e
 MASTOID
 surgery, 134p
 MASTOIDITIS, 44g, g
 etiol. & pathogen., 107p, q
 in infants & children, 80p
 therapy, 142b
 MATERIA MEDICA, 17n
 MATERNITY
 industrial asp., 13h
 welfare, 73b, 153w, 154d
 MAXILLARY SINUS
 dis., 44j
 foreign bodies, 147t
 surgery, 137r
 MAYER'S TEST, 47k
 MAZE
 human stylus, 152g
 MAZZINI SLIDE TEST, 70q
 MEASLES
 opl. & seq., 34i, 150b
 epidemiol. & statistics, 51-1, m
 MEASUREMENT, 104e
 MEAT, 149a
 preparation, 46e
 rationing, 17v
 vitamins, 64s
 MECHERIKOV, 63i, 114e
 MEDIASTINUM
 cancer, 144e
 cysts, 134-1
 MEDICINE, 85n
 history, 35g, 84j, 90q, 92u, 93i, m, 94d, i, j, 139e
 --in France, 29u
 in art & literature, 91v, 92e, f, n, 93e, s, w, 94s
 in Belgium, 75r
 in Ecuador, 139e
 in England, 84j
 in France
 --Renaissance period, 92v
 in Great Britain, 17j, 153v
 in Manitoba, 135e
 in Mexico, 56e
 in Mississippi, 135v
 in Nigeria, 90j
 in North Carolina, 137a
 in Palestine, 131m
 in Peru, 139a, 139e
 in Russia, 91q, 98m
 in Southern Rhodesia, 154k
 in Tasmania, 87b
 in United States, 82e, 154i
 method, 128i
 politics, 129-1
 postwar, 90f
 preventive, 96s
 progress, 135v, 153u
 public relations, 129k
 rural, 134i
 serendipity, 133u
 social, 153w
 socialized, 135v
 MEDULLA OBLONGATA
 hemorrhage, 44p
 MELANCHOLIA, 84s
 MELANIN
 pigmentation, 7p, 9f, 68q
 MELANOLEUKODERMA, 69s
 MELENA, 86r
 MEMORY DRUM, 49w
- JULY
- MENINGES
 empyema, 55b
 hemorrhage, 40g, 95h
 syphilis, 40-1, 112o, p
 tuberculosis, 95e
 tumors, 98g
 MENINGITIS
 coli, 133e
 opl. & seq., 152f
 etiol. & pathogen., 29r, 34o
 in infants & children, 144k
 influenzal, 83a, 127q
 pneumococcal, 133m
 staphylococcal, 86h
 therapy, 33g, 40i, 81k, 136o
 MENINGOCOCCUS
 infections, 130w
 MENINGOCOCCUS PHALITIS
 hemorrhagic, 139n
 MENOPAUSE, 131o
 arthritis, 85s
 therapy, 133-1
 MENSTRUATION
 chem., 11o
 MENTAL DISEASES, 133v, 144-1, 154b
 diagn., 107b
 epidemic, 40i
 eugenic asp., 52t
 manifestations, 138s
 prevention, 79-1
 social asp., 106c
 therapy, 87n, 106f, v
 MENTAL HYGIENE, 40w, 41u, 50e
 industrial, 15e
 MENTAL SET, 152j, t
 MENTAL TESTS, 49m, n, o, 77k, 105w, 106b, 108i, 144v
 Army alpha, 49u
 MERCHANT MARINE, 130u
 med. serv., 77b
 MERCURY, 5j
 metabolism, 60i
 therapy, 19e
 toxicity, 86w, 117e, 136-1
 MESENTERY
 cysts, 82v, w
 METABOLISM, 38w, 62m, 117s, 140s
 dis., 24q
 eff. drugs, 140n
 geographic surveys, 25u
 hypermetabolism, 136j
 METACARPO-PHALANGEAL JOINT, 63e
 METALS
 toxicity, 84e
 METAMORPHOSIS test, 11d
 METATARSUS, dislocations, 36w
 METEOROLOGY, 131c, 137v, 150c, 154q
 METHIONINE, 118a
 therapy, 14v
 METHYLAMINOETHANOL, 4f
 METHYLAMINOAZOBENZENE, 63j
 METHYLAMINO OCTENE, 61v
 METHYL CHLORIDE, 14w
 METHYLCHOLANTHRENE, 35i
 METHYLENE BLUE, 61e, 48s, 91u
 METHYL PHTHALATE, 153e
 METRAZOL, 61m, 116k
 in dermatology, 9u
 MICE, diseases, 117p
 MICROBIOLOGY in Russia, 114o
 MICROPYGIA, 97r
 MICROSCOPE SLIDES, 143a
 MICROSCOPY, 28c
 electron, 39m, 82q, 122o
 MIWIVES, 12h, 73k, o
 MIGRAINE, 76s, 78q, r
 MIKULICZ' APITHESE, 10p
 MIKULICZ' DISEASE, 107t
 MILIARIA, 7u
 MILITARY MEDICINE, 31k, 36a, b, h, v, 79s, 85k, 102j, k, m, o, s, 133h
 congresses
 --II. Conf. shir. interallies, 93p
 dermatology, 30m, 101r

MILITARY MEDICINE (continued)

epidemiol., 371, 50-1, 102p
 equipment, 36k, 142-1
 gynecol. & obstetrics, 77o
 history, 92u, 102u
 in United States, 142m
 malingering, 131u
 neuropsychiatry, 20d, 41h, 100g, 133b, 144-1,
 144m, w
 nutrition, 101e
 orthopedics, 24q, 101g
 otolaryngology, 148c
 otology, 130v
 psychology, 102e, 106c, e, f, 142j
 rehabilitation, 24q, 87e
 roentgenology, 36j, 53i
 surgical technic, 78k, 93p, 100b, 101c, 1,
 137q, 146b, 157d, g, h, j, 158k

MILK, 64c, 149j

bacteriol., 148r
 human, 47s, 71p, s
 pasteurization, 160-1
 preservation, 46c

MILK-POWDER, 119c, q

sulfur content, 64b

MILLIN OPERATION, 90u

MIND, 152c

body & mind, 19q

MINERALS

metabolism, 16f, 63k, 71k, 129g, 155h

MINES & MINERS, 17e, 15a, b

MINIMAL SYNDROME, 13k

MITES, 88p, 110c, 153e, g

eradication, 58g, 153g

MITICIDES, 153g

MITRAL VALVE

calcification, 5b

dis., 19e

MOB PSYCHOLOGY, 105s

MOLECULES

macromolecules, 51, j

MONEL, 76t

MONILIASIS, 128u

MONONUCLEOSIS

infectious, 132c

MONOSEPT, 102t

MONTENEGRO TEST, 148f

MORGAGNI, 93e

MORPHINE

addiction, 62c

MORPHOLINES, 65r

MORVAN'S DISEASE, 78k

MORTL, 24n

MOSAIC DISEASE of tobacco

antiserum, 120q

MOSCHOWITZ PROCEDURE, 127t

MOSQUITOES, 109e

anat. & histol., 101t

culture, 143-1

eradication, 47h, 109e

parasites, 109r

physiol., 49h

repellants, 1u

MOTOR SKILLS, 152f

MOTOR SYSTEM, 105v

MOUTH

abscess, 137h

cancer, 6k

cysts, 5p, 66u, 75e

dis., 5s, 10m, 65w, 66w, 67p, 130s

hygiene, 97b

mucosa, 123d

roentgenography, 122-1

surgery, 137r

tumors, 66v

MOVEMENTS, 1m, 52h, 152g, 159e

associated, 144f

disorders, 41m

immobilization, 62u

perception, 152f

training, 158h

MOVING PICTURES, 143c

MUCHA'S PARAPSORIASIS, 81

MUCOUS MEMBRANE

dis., 10v

MUELLER'S DUCT, 16w

MUSCLES

abnorm., 97r

biceps brachii, 134f

contraction, 3d

denervated, 100v

dis., 85e, 92j, 97r

electromyography, 28g, h

facial, 144f

innervation, 2h, 58u

intramuscular pressure, 15s

ischemia, 117c

Langer's, 62s

oculomotor, 144f

physiol., 21c, 40r, 48t, 60u, 144f

quadriceps femoris, 76w, 92i

rectus abdominis, 21t

rectus femoris, 76w

scalenus, 90t

supraspinatus, 80u

tests, 91m

transplantation, 111v

MUSEUMS, 103d, s

MUSIC, 19m, 49r

therapy, 10m

MUSSET, ALFRED de, 95f

MUSTARDS

sitrogenous, 133e

MYASTHENIA gravis, 3-1, 58u, 61n

MYCOSIS, 68c

cutaneous, 8t, 37g, 64r, 69a

cytomycosis, 141k

fungoides, 70b

MYELITIS, 77t

MYIASIS

nasal, 16i

MYOCARDITIS

etiol. & pathogen., 45m

MYOGEN A, 2a

MYOSITIS, 7k

ossificans, 66-1

MYOTONIA, 140w

congenita, 40f, 108a

MYXEDEMA, 93g, 140w

MYXOBOLUS, 103h

NAPHTHALAN, 156d

NAPHTHALENE METHANOLS, 65j, k, l, m

NAPHTHOQUINONE, 29e

NAPOLEON III, 94j

NASOPHARYNX

lymphoid tissue, 147q

NAVAL MEDICINE

equipment, 37c

neuropsychiatry, 144w

submarine, 37k

NECK

tumors, 66v

NECROBIOSIS

lipoidica, 69e, 69n

NECROSIN

eff., 25t

NEEDLES, 143t

NEGATIVISM, 83v

NEMATODES, 113i

NEOCID (DDT) 113-1

NEODYNE acetate, 23a

NEOSTIMINE, 61r

eff., 60n, v

metabolism, 60c

therapy, 13a, 34e, 78q

NEPHRITIS, 93-1

opl. & seq., 93c

etiol. & pathogen., 45m, 79f

glomerular, 26w, 150e

hemorrhagic, 115i

in infants & children, 23-1

malarial, 127k

NERVES

degeneration & regeneration, 48j, s
 hypogastric, 141a
 median, 40q
 motor, 28g, h
 ophthalmic, 147r
 optic, 43f, 107i
 peripheral, 56j, 78-1, 144i, j, 157d, e, r
 permeability, 60o
 phrenic, 111k
 radial, 40q
 roots, 22f, 40-1
 splanchnic, 16w, 32f, 92h
 trigeminal, 20q
 ulnar, 40q
 vagus, 5b, 34b, 80g, 94b, 100e, 131g
 vestibular, 106o

NERVOUS SYSTEM

chem., 2g
 dis., 24s, 25q, 31f, m, 41h, 78-1, 84w, 105g, 131q
 eff. drugs, 2h, s, 60o, 61m
 growth & development, 150g, h
 pathol., 150h
 physiol., 3n, 46u, 49g, 151i, j, r, s, t
 surgery, 56j, 80-1, 157g
 wounds & injuries, 27j, 157d, g
 NERVOUS SYSTEM SYMPATHETIC
 dis., 102q, 131g, 157g
 eff. drugs, 49a, 59h, 59v, 60b, e, f, h, j
 tumors, 56n

NEURALGIA

etiol. & pathogen., 66c
 facial, 83h
 nasal, 6s
 splanchnic, 16w
 trigeminal, 20q, 79f

NEURITIS

multiple, 124i
 optic, 40k, 43e, 148f
 puerperal, 139u
 syphilitic, 40k

NEURODERMATITIS, 89n

NEUROFIBROMATOSIS, 33g, 69m, 112g

NEUROLOGY, 136v

in France, 25p

NEUROPSYCHIATRY, 40d, 144-1, w

diagn., 75j

NEUROSES & PSYCHONEUROSIS, 40w, 80o, 129m

anxiety, 106m, s, 141-1
 diagn., 107b
 etiol. & pathogen., 41o, 106d
 exercise, 106u
 experimental, 62c
 in armed forces personnel, 20d, 41h, 106e, 144m, 154h
 in infants & children, 83v
 in veterans, 40v, 79i
 obsession for maternity, 96w
 sinistrosis, 12f
 therapy, 18h, 21e, 106v
 NEUROSYPHILIS
 therapy, 30o, 40j, k, m, n, o, 78n, 112o, p
 NEVI, 9w, 68-1, 70-1

NICOTINIC ACID

deficiency, 118d
 eff., 118f
 metabolism, 28u, w, 116g
 therapy, 10k, 16i

NICOTINYL TAURINE, 47c

NIGHT BLINDNESS

in armed forces personnel, 107j

NIQUIDINE, 65f, g

NITRATES & NITRITES

phenylmercuric, 140n
 octyl nitrite, 24t

NITROBENZENE, 38-1

NITROGEN

determ., 64e
 metabolism, 16f, 33e, 48h, 71e, i, 72o, 118n, 118u, 119g, 128m

NITROGENOUS MUSTARDS, 133o

NITROGUANIDINE

determ., 63u

NITROPHENOL, 3s

NITROTOLUENE

metabolism, 14t
 toxicity, 14u, 15f, 74n

NODES

juxta-articular, 68w

NOISE, 49-1

industrial, 52m

NOMENCLATURE, 151f

dental, 6p

NORTHFIELD EXPERIMENT, 144p

NOSE, 42h, 113t

discharge, postnasal, 84e
 diseases, 29s, 145r
 disinfection, 85d
 hemorrhage, 109-1
 roentgenography, 156k
 septum, 76u
 tuberculosis, 44k

NOVALDIN, 128n

NUCLEINS, 36h, 114q, 140-1

NURSES & NURSING, 145j, 154b

economics, 86q

education, 42-1, 145k, u

male, 42e

military, 42p

psychiatric, 145q

public health, 56m

social, 42d

students, 49u

NUTRITION, 101e, 116h, p, 131f, g, 149h, 153t

disorders, 6a, 24s, 37e, 71q, 149g, h, i

in Australia, 154i

in Brazil, 31a, 96e

in France, 20i

in Great Britain, 128f

in Mexico, 118q

in Puerto Rico, 119b

public health asp., 71o

NYSTAGMUS, 144g, 152f

OBESITY, 129o

etiol. & pathogen., 86a, 89q, 95-1, 131e

OBSESSIONS, 96w

in children, 21-1

therapy, 18h

OBSTETRICS, 12h, 134c

cases, 18u

in United States, 124j

postwar, 99s

roentgenology, 83p

OCTIN

toxicity, 61v

OIL

cancer, 51g
 dermatitis, 8o
 essential, 150w
 eucalyptus, 65c
 fish oil, 8d
 petroleum base oils, 47i
 turpentine, 150p

OINTMENTS, 47o

protective, 15h

OLD AGE, 23v, 50q, 138q

blood, 1h

nervous system, 151u

psychiatric asp., 106h, 106i

social asp., 106j

statistics, 155b

OLEYL ALCOHOL, 150o

OLFACTORY FISSURE, 147s

OLLONJIST'S DISEASE, 36n

OMENTUM, 32m

torsion, 78a, 100q

ONCHOCERCIASIS, 52q, 98n, 99-1

OPHTHALMIA

neonatorum, 147g

OPHTHALMOLOGY

air, 107g

societies

--New Zealand, 136q

- OPHTHALMOSCOPE, 146m
 OPIATES, 60v
 OPIUM, 461
 OPTOMETRY, 147e
 in France, 130p
 ORANGE JUICE, 118e
 ORBIT
 dilatation, 67s
 dis., 33k, 36o, 76o
 surgery, 34c, 107-1
 ORCEIN, 61e
 ORIENTAL FRUIT MOTH, 58a
 ORNITHODORUS, 113k
 ORTHOPEDICS, 24q, 26k, 121r, 85v
 ORTON'S OPERATION, 105f
 OSCILLOMETRY, 19-1
 OSTEITIS, 67t
 deformans, 66o, 132v, 148g
 --metabolism, 84d
 OSTEOARTHRITIS, 63a
 OSTEOCHONDRITIS, 88e
 OSTEOMYELITIS
 in infants & children, 107u
 salmonella, 63a
 therapy, 62w
 OSTEOPOROSIS
 metabolism, 84d
 OSTEOSCLEROSIS
 fragilis, 99t
 OT, 58m
 OTITIS, 128n
 externa, aëro-, 148o
 OTITIS MEDIA
 aëro-, 147s
 opl. & seq., 102f
 therapy, 126u, 134s, 138-1
 OTOLARYNGOLOGY, 148c
 OTOTOLOGY, 130v
 OTOSCLEROSIS, 91a, 87-1
 OVARY
 anat. & histol., 57k
 cancer, 124t
 cysts, 33h, 150j
 development, 11j
 dis., 11g
 hormones, 81s
 insufficiency, 69f
 physiol., 11g
 prolapse, 109-1
 therapy, 72o
 transplantation, 62j
 tumors, 17a, 34p, 97u, 124m, v
 OWLS, 60s
 OXALATES in diet, 118j
 OXIDASE & PEROXIDASE, 140h, j
 OXIDASE INDEX, 85j
 OXIDATION, 26w, 65h
 OXIDATION-REDUCTION, 61e
 OXYGEN
 deficiency, 59b, 117o, 128-1
 metabolism, 48g
 OXYGEN-TENTS, 39u
 OXYURIASIS, 93h, 137o
 in rats, 113h
 OZONE, 130r
- PALATE
 cleft, 122j
 tumors, 66o
 PALUDRINE, 110b
 PAMAQUINE, 2p, 59e, f, 61u
 eff., 60b
 therapy, 2v, 61j, 119v
 toxicity, 3g, h, 4b, 116q
 PANCREAS
 aberrant, 16v
 cystic fibrosis, 88u
 enzymes, 139g
 surgery, 56j
 PANCREATITIS, 109n, 136o
 cholecysto-, 55m
- PANNICULITIS, 691
 PANTOTYLTAURANIDES, 62g
 PAPAIN, 8c
 PARACOCIDIOIDES, 58r
 PARAFFIN, 17u
 embedding, 57-1
 PARAGONIMUS wstermanni, 54c
 PARALYSIS
 acute ascending, 21d
 agitans, 24o
 bone growth, 28t
 cerebral, 28d
 cranial, 148h
 dilators, 44-1
 diphtheritic, 136h
 facial, 33r, 43-1
 progressive, 119f
 pseudobulbar, 123r
 spastic, 42o, 144h
 spinal, 33b
 PARALYSIS GENERAL, 22m
 manifestations, 34p
 therapy, 40m, 62e, 112p
 PARAPSOIASIS, 81
 PARASITES
 endoparasites, 44t
 PARATHYROID
 pathol., 33o
 physiol., 2o, 142t
 surgery, 80-1
 tumors, 35c, 136r
 PARATYPHOID
 opl. & seq., 155k
 immunity, 82d
 in animals, 25c
 vaccine, 109f
 PARENTHOOD, 152n, 155c
 psychol., 41t
 PARANOSISM
 diagn., 60m
 PARONYCHIA, 93-1
 PAROTID GLANDS
 tumors, 26w
 PAROTITIS
 opl. & seq., 26o
 epidemiol. & statistics, 51e
 nervous system, 81t
 PARTHENOGENESIS, 103q
 PARTHENOGENESIS, 19o
 PATELLA
 dislocations
 --in animals, 160q
 surgery, 80r
 wounds & injuries, 921
 PATERNITY, 149f
 PATHOLOGY
 functional, 134e
 PATIENTS
 surgical, 18t
 PEDAGOGY, 25e, 79-1
 PEDIATRICS, 20o, 79-1, 134c
 PEDICULOSIS
 dermatitis, 26e
 in Russia, 89q
 institutes
 --Birmingham, 73m
 postwar, 82s
 PELLAGRA
 etiol. & pathogen., 68s
 PELVIS
 adhesions, 12w
 cancer, 62v
 fractures, 25c
 measurement, 13e
 surgery, 136c
 wounds & injuries, 157v, w, 156c
 PEMPHIGUS, 68m
 congenital, 9j
 epidemic, 9m
 PENICILLIN, 93g, 140e
 admin., 17q, 30e, 40m, n, 67w, 78o, 781, 78u,
 112p, 121k, 132d, 133m, 143k
 benzyl, 35k
 chem., 33h
 crude filtrates, 17p

- eff., 52e, 87f, 112h, m, q, 120v, 121d
G, 143q
gladioli, 104o
K, 143q
metabolism, 143k
ointment, 551
pharmacol., 77-1, 127f
preparations, 151e
production, 46r, 103f, 109d, 146d, 150v
therapy, 17r, 21h, 27e, 30q, 33r, 62w
--in dentistry, 67n, 122o
--in dermatology, 123n
--in general practice, 134n
--in neurology, 105g
--in ophthalmology, 37m, 42f, 79u, 127k
--in otorhinolaryngology, 23m
--in pediatrics, 77o, 108c
--in urology, 133r
--in venereal diseases, 92s, 123r
toxicity, 36k, 68e, m, 123v
X, 52o, 143q
- PENICILLINUM**
cult., 76d
- PENIS**
dis., 123w
embryol., 57d
pathol., 10d
- PENSIONS**, 17j
- PEPTIC ULCER**, 89j
blood, 72a
opl. & seq., 99i, 138r
epidemiol. & statistics, 55s
etiol. & pathogen., 20m, 34b, 72j
experimental, 30v, 72h
hemorrhage, 25k
in twins, 75i
perforated, 77e, f, 156n
small, 91k
therapy, 32-1, 76m, 83f, 100e, 106w
--psychological, 107a
- PEPTONE**, 29b
- PEQUET'S CISTERN**, 18b
- PERCEPTION**
auditory, 152o
extrasensory, 153a
time, 145f
visual, 152f
- PERIARTERITIS**
nodosa, 23v, 33w
- PERICARDITIS**, 4v
etiol. & pathogen., 55w
in infants & children, 107u, 134g
therapy, 102-1
with effusion, 85r
- PERIODICALS**
psychological, 152i
tuberculo logical, 110t
- PERIODONTITIS**, 66a
- PERIODONTIUM**
cysts, 67a
- PERITONEOSCOPY**, 143b
- PERITONITIS**
etiol. & pathogen., 32t, 134u
in infants & children, 107s
- PEROSIS**
etiol. & pathogen., 29m
- PERSONALITY**, 152-1
disorders, 49v
in disease, 138r
psychopathic, 18h
sex differences, 52j
- PETIT, MARC ANTOINE**, 93m
- PETRAGNANI METHOD**, 137n
- PETROLATUM**, 66t
- PEUTZ'S SYNDROME**, 8j
- PETER'S PATCHES**, 29k
- PHARMACOGNOSY**, 17n
- PHARMACOLOGY**, 3u
in Belgium, 75r
- PHARMACY**, 98j
tableting, 46g, r
- PHARYNX**
tuberculosis, 141b
- PHELLANDRAL**, 65c
- PHENANTHRENE**, 39q, 65o, s
- PHENANTHROLINE**, 65e
- PHENOGENETICS**, 36b
- PHENOLPHTHALEIN**
determ., 46p
- PHENYLENE DIAMINE**, 3p, 9e
- PHENYLHYDRAZINE**, 84c
- PHILOSOPHY**, 108h
- PHLEBITIS**
etiol. & pathogen., 34t
experimental, 117j
portal, 28a
therapy, 30b
- PHLEBOTOMUS**, 31-1, 88r, s
classification, 109t
- PHLORICIN**, 60i
- PHOBIA**
dermatophobia, 7r
- PHOSPHORUS**, 99d
acid-labile, 3g
in diet, 71j
metabolism, 2c, 45d, 71g
- PHOSPHORYLATION**, 38w
- PHOTOGRAPHY**, 107f, 143a
- PHOTOMETER**, 146o
- PHTHALATES**
toxicity, 59t
- PHTHALIDYPROPANE HYDROCHLORIDE**, 4g
- PHYSALOPTERA**, 113i
- PHYSICAL EDUCATION**, 15p, 50g, h, 52g, i, j
in India, 74q
in industry, 74o
- PHYSICAL EFFICIENCY**, 52h
tests, 52k, 90k, 91m
- PHYSICAL MEDICINE**, 85u, 136k, 158q, u
centers, 158v
in Great Britain, 158n
public health asp., 90n
- PHYSICIANS**, 22a, 132u
diseases, 47q
distribution, 134i
general practice, 82e
in Mexico, 56d
in Poland, 137j
in United States, 154i
Paris street names, 94j
political activities, 29u
relation to patient, 79h
relation to priest, 126q
- PHYSICIAN'S WORKSHOP**, 130-1
- PHYSICS**, 93q, 139k, 155f
institutes, 143o
teaching, 156o
- PHYSIOLOGY**
homeostasis, 16o
- PHYSIOPATHOLOGY**, 134f
- PHYSOSTIGMINE**, 46r, 59i
- PIGMENTATION**
disorders, 7n, 8g, 9f, 10f, 69v
genital, 20s
- PIGMENTS**
ceroid, 71p
- PILONIDAL SINUSES**, 56n
- PINTA**
transmission, 24i
- PIPERIDINE**, 61r
dimethyl-, 59h
eff., 2m
- PIPETTES**, 101t
- PITUITARY BODY**
anat. & histol., 1e, 57e
cysts, 12w
dis., 32o
insufficiency, 86a
necrosis, 13f
physiol., 11v, 12b, 18j
secretion, 1f, 56q, 56v, 60q
tumors, 90b, 91g
wounds & injuries, 25w
- PITUITARY PREPARATIONS**
eff., 41k
standardization, 2j
- PITYRIASIS**
pathol., 91, 92d
roses, 69-1, q
rubra pilaris, 69o, v

- PLACEBOS, 59d
 PLACENTA
 blood vessels, 1c, d
 edema, 73g
 placentation, 1c
 praevia, 76v
 PLAGUE
 epidemiol. & statistics, 109h
 immunity, 50v, 114j
 PLANTS
 dis., 116g
 PLEONOSTEOSIS, 22e
 PLETHYSMOGRAPH
 skin, 60k
 PLEURA
 calcification, 139h
 surgery, 157s
 tuberculosis, 111-1, m
 PLEURISY
 adhesive, 157s
 pathol., 111-1
 therapy, 111j
 PNEUMOCOCCI
 hemolysis, 128v
 infections, 85s
 saccharides, 75p
 PNEUMOCOCCIOSIS
 diagn., 90d, 125v, 126a
 epidemiol. & statistics, 106v
 prevention & control, 15a, b, 126b
 PNEUMODIGRAPH, 53n
 PNEUMONIA, 34u, 100n, 130a
 ascaris, 15g
 atypical, 75e, 1, 79b
 blood, 21b
 cpl. & seq., 95r
 etiol. & pathogen., 98e
 feline, 121b
 heart, 3a
 therapy, 92e, 121k, 127p, 134j
 virus, 83m, 120m, 121b
 PNEUMOTHORAX, 88v, 159h
 artificial, 110p, 111c
 --experimental, 56s
 PODOPHYLIN
 allergy, 66i
 POIKILODERMA, 7k
 POISONS, 3t, 59c, 60c
 pathol., 114c
 POLAROGRAPHY, 46v
 POLIOMYELITIS, 87g, 125p, 139f
 diagn., 116r
 diet factor, 118c
 epidemiol. & statistics, 28f, 97h, 107r
 136q
 experimental, 120r
 hospital services, 125k, 1, m, n
 therapy, 34e, 99m, 125c, 140w, 158t
 virus, 97m, 108p
 POLLEN, 20v
 dermatitis, 68u
 POLONIUM, 156a
 POLYCYTHEMIA, 84c
 etiol. & pathogen., 27w, 72a
 experimental, 122c
 POPILIA, dis., 56f
 POPULATION, 154s
 animal, 104p
 PORPHYRIA
 metabolism, 42m, 118v
 proto-, 28q
 PORTAL VEIN, 29j
 POSTAGE STAMPS, 132d
 POSTURE, 77k
 blood pressure, 27i
 eff., 18v, w
 Fowler's position, 24c
 POTASSIUM, amide, 65n
 eff., 3d
 metabolism, 48k, u
 POTATOES
 cult., 142s
 POUPE-DES-PORTES (1704-) 93d
 PRECIPITATION, 120n, q
 PRECIPITIN
 reactions, 29m
 PREGNANCY
 age, 80s
 blood, 46b, 159c
 blood pressure, 72w
 blood volume, 73h
 cpl., 34t, 109-1, 124i, 124w, 128h
 diagn., 11f, 33t, 73f, 140b
 diet, 149k, 159c
 duration, 124q
 ectopic, 12v, 124w
 extramembraneous, 124u
 heart, 34s
 psychol. asp., 106r
 psychosis, 41k
 social asp., 12e
 spurious, 106s
 teeth, 77-1, 123j
 toxemia, 16p, 72m
 vomiting, 73i
 PRISONS, 34m
 PROCAINE
 eff., 94u, v, w
 therapy, 35t, 94v, w
 PROCTOLOGY, 34c
 PROGERIA, 7k
 PROMIN
 eff., 61c
 PROPANOLAMINES, 65k, 1
 PROSTATE
 calculi, 112b
 cancer, 20g, 94p, 139w, 155p
 catheterization, 76t
 inflammation, 112h
 surgery, 112e, f, 135k
 PROSTATECTOMY
 retropubic, 28g, 90u, 112c
 PROSTHEORCHIS, 113j
 PROSTHESES, 18v
 PROSTITUTION
 in India, 74s
 PROTEINASE, 28m
 PROTEINS
 deficiency, 116t
 in diet, 2b, 71e, f, 117u, w, 118v, 119h, 1
 119k, 1, n, o, q, u
 metabolism, 81r, 117s, u
 requirements, 129-1
 standardization, 103p
 therapy, 34-1
 vegetable, 28c
 PROTOZOA, 103h
 PHURIGO, 9w
 therapy, 10k
 PHURITUS
 anal, 78f
 vulvar, 7u
 PSEUDOGONORRHEA, 7w
 PSITTACOSIS, 90c
 PSORIASIS, 7c, 69q, 70a
 blood, 8a
 cpl. & seq., 23c, 68q
 therapy, 68p
 PSYCHIATRY, 27-1, 133b, 137d, 144-1, p, t, v
 154h
 clinics, 136i
 counter-transference, 106v
 diagn., 107b
 geriatric, 106h
 industrial, 81p
 pediatric, 40c, 41q, r, s, t, u, 79-1, 83a
 105-1, 145b
 preventive, 79-1
 social, 41u
 teaching, 12f
 therapeutics, 32c
 PSYCHOANALYSIS, 105i
 pediatric, 41q, r, s, u
 PSYCHOLOGY, 108h, 152c
 abnorm., 105t, v
 analytical, 41r, s
 apparatus, 49w
 comparative, 49g, s, 108g, 152p, q, s, w
 experimental, 104t

- literature, 152i
 maturation, 41n
 medical, 20c, 21i
 metapsychology, 105i, o
 military, 142j
 social, 12q, 41m, n, 105r, s
 totemistic veneration, 41r
 PSYCHOTHERAPY, 21c, 81n, 144m
 group, 144p, q, 145e
 indications, 16h
 pediatric, 41q
 technic, 49v
 PUBLIC HEALTH
 centers, 73m, 108n, 125h
 in Africa, 42m, 83j
 in Amsterdam, 50c
 in Argentina, 36p, 37a
 in Australia, 154j
 in British Africa, 154-1
 in British Colonies, 154n
 in Canada, 50k
 in France, 17v, 20i
 in Great Britain, 50j, 51s, 153v
 in India, 21d, 74q, 84j
 in London, 154i
 in New Zealand, 154j
 in Palestine, 131m
 in Pasadena, 51q
 in South Africa, 154k
 in Southern Rhodesia, 154k
 in United States, 91c, 154i
 international, 52n
 personnel, 51v, 154c
 rural, 51s, 134i
 PURPURAL INFECTION, 42f
 prevention, 13d
 PURPERIUM
 cpl. & seq., 137j, 139u
 hemorrhage, 13f, 83e, 134t
 PUGILISM, 98a
 PUMPS, 37c
 PUPILS
 dilatation & contraction, 3q
 PURPURA, 7g, h, 8g, 45k, 150d
 annularis telangiectodes, 70f
 haemorrhagica, 40v, 142d
 rheumtoid, 22q
 Schoenlein-Henoch, 128h
 PYELITIS
 in infants & children, 45m
 PYLORUS
 hypertrophy & stenosis, 17g, 45q, 133a
 spasm, 45r
 tumors, 32s
 PYODEMA
 etiol. & pathogen., 10e
 PYRAMIDAL TRACT, 41d
 PYRETHUM, 151b
 PYRIBENZAMINE, 59w
 PYRIDINE
 eff., 116c
 PYRIDOQUINOLINE, 65e
 PYRIDOXINE
 deficiency, 117f, w, 118b
 standardization, 119d
 therapy, 27q
 PYROGENS, 21c
 PYTHAGORUS, 93q
 PYURIA
 amicrobic, 86r
- QUINACRINE, 18e, 37k, 59f, 61u
 eff., 60a, 110a
 therapy, 82e
 toxicity, 3h, 15m, 81n, 101c, 128t, 144g
 QUINALIZARIN, 63v
 QUINIDINE, 3e
 QUININE, 61u
 metabolism, 59f
 therapy, 2v
 toxicity, 3h, 146-1
 QUINOLYL CARBINOLS, 65f
- RABBIT PAPILLOMA VIRUS, 120a
 RABELAIS, 92n, 93s
 RACES, 41c, 104r, 105r
 blood proteins, 109t
 RADIATIONS, 19p, 53d, 154c, 155f, 156a
 counters, 155c
 eff., 28r, s
 injur. eff., 20r, 53e, 74m, 82c, 155v
 measurement, 155i
 selective, 117g
 supervoltage, 53e
 RADIO SOUND ANALYZER, 39h
 RADIOACTIVITY, 74m, 117h, s, 143n
 RADIOGRAPHERS, 53g
 RADIOLOGY, 154c, 158q
 history, 109m
 RADIOSONDE, 38g, j
 RADIUM
 therapy, 17f, 65w
 RADIUM DIAL PAINTING, 74m
 RAFFINOSE, 28n
 RANULA, 5p, 75c
 RASPAIL, 92m
 RATS
 parasites, 113h
 RAYNAUD'S DISEASE, 31v
 READING
 type-size, 152d
 REASONING, 49r
 RECEPTACULUM CHYLI, 18b
 RECREATION, 74q
 RECRUITS
 exam., 53i, 102j
 RECTOSCOPE, 72c, d
 RECTUM
 cancer, 32m, 32q, 34d, 54p, 55a, 92-1, 139v
 141r
 dis., 32r, 97b
 prolapse, 96t, 132s
 surgery, 72d, 136e
 tumors, 88v
 REFLEX
 conditioned, 48n, 62c, 151-1, m, n, o, q, u
 eff. drugs, 60b
 postural, 77k
 REFRACTOMETER, 146t
 REFUSE, 101d
 REGENERATION, 113k
 REHABILITATION, 24q, 101m, 125c, 153u
 centers, 158w
 psychiatry, 154h
 REITER'S SYNDROME, 86c
 RELAPSING FEVER
 cpl. & seq., 25a
 epidemiol. & statistics, 110f
 metabolism, 17t
 therapy, 128e
 RELAXATION, 49v
 RELIGION, 105n, 126q, 144u
 RELIGIOUS HEALING, 92n
 REPRODUCTION, 49i
 diet, 119c, u
 physiol., 12q
 REPTILES
 embryol., 57g
 RESEARCH, 37s, t, u, v, w, 39c, 103u, 158c
 international cooperation, 37w
 political asp., 39f, k

- RESEARCH MEDICAL, 21s
 animal experimentation, 160n
 in Russia, 91q, 96m
 serendipity, 133u
 undergraduate, 25f
 RESORCINOL, 103e
 RESPIRATION, 62b
 alveolar air, 1o, 48g
 center, 48i
 disorders, 32f
 expired air, 106v
 in animals, 159m
 physiol., 22h
 psychiatric asp., 106v
 RESPIRATORY TRACT
 dis., 371, 78c, 86v, 108m, 111g, 120m, 128-1
 131h, 138k
 function test, 111k
 parasites, 44t
 wounds & injuries, 1411, 142h
 RESUSCITATION, 36c
 RETENE, 65o
 RETICULOENDOTHELIAL SYSTEM, 57f, 951
 dis., 27s, 141k
 pathol., 8t
 RETINA
 anat. & histol., 57h
 blood supply, 43g, 108w
 pigmentation, 107h, 146t
 RETINITIS
 exudative, 43m
 RETRACTORS, 102u
 RHEUM emodi, 46n
 RHEUMATIC FEVER, 42c, 63f, p
 cardiac cpl., 19e, 75h, 85n, 108u
 cpl. & seq., 10a, 25-1
 diagn., 29m, 130k
 epidemiol. & statistics, 75h
 eyes, 171
 lymphoid tissue, 85o
 susceptibility, 85o
 therapy, 65m, 104q
 RHEUMATISM, 63g, 154a
 cpl. & seq., 23c, 31v
 epidemiol. & statistics, 131j
 eyes, 171
 in armed forces personnel, 75g, 101a
 palindromic, 63g
 surgical therapy, 80-1
 therapy, 29t, 63n, 65t, 951
 visceral, 130e
 RHINITIS
 etiol. & pathogen., 44m
 therapy, 18q, 33q
 RHINODAKINIZATION, 85d
 RHUS
 toxicity, 37f
 RIBOFLAVIN
 deficiency, 118s
 metabolism, 104d, 117v, 118u
 requirements, 119c*
 sources, 119a
 therapy, 78r
 RICE, 119-1, n
 proteins, 28o
 vitamins, 118p
 RICHER, 92v
 RICHT, 95c
 RICKETTSIA
 antigen, 52b, d
 RICKETTSIAL DISEASES
 epidemiol. & statistics, 86h
 Q fever, 52e
 therapy, 121e
 RINGWORM, 51-1, 68r, 69g
 therapy, 68v
 ROCKY MOUNTAIN SPOTTED FEVER
 prev. & control, 58d
 RODENTS
 eradication, 101u
 transmission of disease, 110n
 ROENTGEN RAYS
 apparatus, 531, n, 110q, 155g, 1, s, 156g
 contrast substances, 54a
 diagn., 5w, 531, p, 156k
 --in gynecology & obstetrics, 83p, q
 eff., 28r, 121r, 155j, m
 injur. eff., 20r, 35q, 69q, 83o, 155-1, u
 measurement, 156b
 protection, 155s
 ROENTGENOGRAMS, 53j, 102m, 155r
 identification, 36j
 ownership, 8a
 ROENTGENOLOGY
 history, 18t, 53-1, 97e
 in France, 53k
 ROENTGENOTHERAPY, 65w, 85t, 156k
 dosage, 155e, 8, w
 RUBELLA
 maternal, 871
 RUNNING, 22h
 RUTENOL, 121e
 RYANEX, 58a
 SACCHARIDES, 2g, 75p, 116q
 SACHS WITTEBSKY TEST, 109g
 SAINTS, 92n
 SALICYL CPDS.
 bromaspirin, 60w
 eff., 3k, 61a, 63o, 104q
 metabolism, 61a
 therapy, 140w
 toxicity, 4s, 94r
 SALIVARY GLANDS
 tumors, 66v
 SALIVATION, 151s
 SALMONELLA
 dublin, 160s
 infections, 63a, 86s
 paratyphi, 115c
 thompson, 51o
 typhimurium, 291
 SANDFLY FEVER, 31-1
 SANITATION
 in Africa, 83j
 National Foundation, 108-1
 SARCROIDOSIS, 69k, m, 70d, 111h
 cpl. & seq., 8v, 21u
 etiol. & pathogen., 8e, f
 SARCOMA, 44o, 127v
 experimental, 3c
 fibrosarcoma, 8j, 351
 Kaposi's, 68h
 lymphosarcoma, 66v, 99t
 osteosarcoma, 117d
 regression, 148p
 reticulosarcoma, 30j
 rhabdomyosarcoma, 44h, p
 synovial, 134w
 SARCOPTES, 160e
 SCABIES, 9h
 diagn., 37h
 epidemiol. & statistics, 9a, 15h
 in animals, 160e
 therapy, 8w, 9o, 90a
 SCALP
 dis., 9j, 70a
 SCAPHOID BONE, CARPAL
 fractures, 55h, 1421
 SCENT GLANDS, 1f
 SCHAMBERG'S DISEASE, 691
 SCHISTOSOMIASIS
 diagn., 101o, 148n
 epidemiol. & statistics, 101u
 therapy, 97n
 SCHOOLS, 152m
 diet, 51e, 154d
 hygiene, 49-1
 medical serv., 34f, 511, 52d, 108n
 SCHOOLS MEDICAL, 25e
 medical care in med. schools, 341
 SCHUELLER-CHRISTIAN SYNDROME, 50k
 SCLERITIS, 84p
 etiol. & pathogen., 26u, 30h

- SCIENCE
education, 39m
politics, 39f
- SCLEDERMA, 8h, 31v, 69r, t, 70o, m
circumscribed, 69v
- SCLEROSIS, 32h
amyotrophic lateral, 69s
disseminated, 137m
leukoencephalitic, 106o
- SCOURS, 160s
- SCROTUM
dis., 123w
- SCURVY, 127j
- SEASONS, 131c, 137v
- SEBACEOUS GLANDS
cysts, 37n
- SEBORRHEA, 69u, 70e
pathol., 91
- SEDATION, 134o
- SEEDS, 103d
germination, 62-1, m
- SELENIUM
determ., 63w
- SELLA TURCICA
cysts, 12w
tumors, 90b, 91g
wounds & injuries, 25w
- SEMEN, 39b
identification, 12d
- SEMIUNAR CARTILAGES, 78s
surgery, 156o
wounds & injuries, 321
- SENECIONINE, 4r
- SENSATION
disorders, 32o, 136t
- SEPTICEMIA, 35t, 130w, 141c
opl. & seq., 127g
etiol. & pathogen., 156v
in infants & children, 107u
skin, 7g, h
therapy, 19d
- SERODIAGNOSIS
micromethods, 14q
- SERLOGY
institutes, 139u
- SERTHERAPY & HEMOTHERAPY
buocal, 126s
- SERUM
antireticular cytotoxic, 139m
immune, 4c, e, 49f, 61-1, 114-1
mouse cancer, 1201
- SEWAGE, 52w
- SEX
adolescent, 149s
crime, 12e
determination, 12m
differences, 52j, 71h
perversion, 37p, 105h, 105j
psychol., 105m
social asp., 12s
- SHARK MEAL, 159p
- SHAY RAT, 39r
- SHEEP, 159m
- SHIPWRECK, 100v
- SHIPS
medical supplies, 77b
- SHOCK, 101q
anesthesia in, 157k
blood, 29b, 116q
blood pressure, 48f
opl. & seq., 10b, 29g
etiol. & pathogen., 117o
metabolism, 29h, 48m
pathol., 21m, 48k, 61h
surgery, 102r
- SHOES, 142k
- SHOULDER
wounds & injur., 136f, 157f
- SIGMOID
cancer, 32m, 92-1, 139v
polyps, 88v
surgery, 54p
volvulus, 36q
- SILBAMIDINE, 60s
- SILVER
toxicity, 7j
- SIMULIUM
bites, 31u
- SINISTROSIS, 12f
- SINUSES
preauricular, 148d
- SINUSES NASAL
dis., 20a, 29s, 33k, 36o, 44j, 78i, 96o, 148f
fractures, 97w
surgery, 137r
wounds & injuries, 44n
- SIT-UP, 52h
666, 109e
- SKIN, 95i, 159m
cancer, 8k, 10q, t, 55t, 63k, 69-1, 123n
chem., 9o
dis., 8a, 1, 9j, 10d, w, 22f, 33b, 69b, e, n, 70j, 91j, 101r, 107m, 123o, 130e, 131r
--in infants & children, 34h, 107r
--new, 7d
disinfection, 24-1, 30m
infections, 25k
innervations, 41-1
pathol., 8t, 9o, 60d, k, 124e
protection, 15h
tuberculosis, 8p, 9d, q, s, t, 11a, 44k, 68g
68j, r, 69g, k, o, 70o, g, h, 110r
tumors, 8j, 9k, 10v, 70f, 156f
- SLEEP, 41j
dis., 131d
therapeutic, 106f
- SMALLPOX
diagn., 51n
epidemiol. & statistics, 155o
prevn. & control, 21h
vaccination, 101a, 128p
vaccine, 113w
- SNAILS
transmission of dis., 101-1
- SNAKES, 93e
- SOCIAL SECURITY, 21w, 43r
- SOCIAL WELFARE, 63k, m, 154d
in Brazil, 98s
in India, 74r
in New Zealand, 154j
in Peru, 73c
in South Africa, 154k
- SODIUM
amide, 65m
cacodylate, 31q
chloride, 4k, 118o, n, 160b
determ., 64a
- SOLUTIONS, isotonic, 42s
- SOUND
conduction, 148b
visual registration, 44o
ultrasound, 91d
- SOUND ANALYZER, 39h
- SOYBEANS, 1191, k, l, n, o, q
chem., 29o
- SPASM
therapy, 2m, 4b, 58w
- SPASMOPHILIA
diagn., 73o
- SPECIMENS, 57-1, 1011
transportation, 61j
- SPECTROGRAPH, 146p
- SPEECH
disorders, 41k
- SPERMATOGENESIS, 38d
- SPEROID SINUS, 146f
wounds & injuries, 44o
- SPHINCTER MUSCLES
Oddi's, 47b
- SPINAL CORD, 97n
compression, 40g
tumors, 30h, 96h
wounds & injuries, 25q, 144h, 157h
- SPINAL FUNCTURE, 112u
- SPINE
abnorm., 54d
ankylosis, 26u, 87k
arthritis, 121q

- SPINE (continued)**
 deform., 281, 31g
 fractures, 63b
 intervertebral disks, 26u
 osteomyelitis, 157v
 roentgenology, 54d
 wounds & injuries, 157v
SPIROCHETA
 recurrentia, 128e
SPIROCHETA PALLIDA, 17q
 eff. penicillin, 112m
SPIROCHETOSIS
 canine, 149-1
 epidemiol. & statistics, 100h
 icterohemorrhagica, 17e, 36g, 120u, 137e
 meningeal, 31u
SPLANCHNOPTOSIS, 19w
SPLEEN, 4c
 eff. drugs, 47b
 extract, 140i
 pathol., 61-1
 rupture, 56r, 86f
SPLENECTOMY
 indications, 27v, 80-1
 results, 33d
SPLENOMEGALY, 27t, 31b, 33d
 etiol. & pathogen., 110j
 tuberculosis, 45-1
SPLINTS, 128m, 146e, 158j
 adjustable, 39v
STAINS & STAINING, 38t
 Field's, 86p
STANNOSULFAZIDE, 16k
STAPHYLOCOCCI
 infections, 27r, 33c, 42j, 62w, 95e, 107u
 141d, 145r
 --in animals, 160w
 penicillin-sensitive, 120v
STARCHES, 150v
STARVATION, 18r, 149g, h, i
 blindness, 36d
STATISTICS, 1s, t, u, 58h
STEMMADENIA, 150e
STENOGRAPHERS, 15h
STENOPODINAE, 88h
STERILITY, 13f, g, 21m, 87s
 in animals, 160w
STERILIZATION
 surgical, 102t, 125h
STICHOCOCCI, 140-1, r
STILLBIRTHS, 24v
STOMACH
 allergy, 71v
 cancer, 54w, 68s, 891, 132f
 cardiospasm, 24t
 dilatation, 84-1
 dis., 91k
 exam., 135g
 extract, 120n
 hernia, 54b
 infl., 53h, 93u, 158f
 innervation, 34b
 moose, 78-1
 niches, 71w
 perforation, 32t
 psychiatry, 107a
 secretion, 59-1
 surgery, 84v, 99p, 134g, 135g
 syphilis, 35e, 90k
 tumors, 72b, e
 vulvulus, 127e
STOMATITIS, 149b
 aphthous, 9f, 10p
 etiol. & pathogen., 9g
 therapy, 66i
 ulcerosanoious, 6w
STRABISMUS, 87t, 90g
 etiol. & pathogen., 43e
 therapy, 146-1
STREPTOCOCCIN, 119v
STREPTOCOCCI
 aerobic, 8-1
 carriers, 101b
 hemolytic, 108m, 121p
 infections, 2s, 35t, 50-1, 86b, 107s
 --in animals, 160k
 toxin, 2s
STREPTOMYCIN
 eff., 4d, 46o, 52c, 61c, 120i
 therapy, 55e, 133e
STREPTOTHRICIN
 eff., 60d
STRESS TOLERANCE TESTS, 107b
STRONGYLOIDOSIS
 epidemiol. & statistics, 35-1, 101s
STROPHANTHIN
 metabolism, 59j
STRUMPELL-LORRAIN DIS., 33b
STUDENTS
 selection, 152m
STUPOR, 23e
SUBMARINES, 37k
SUBMAXILLARY GLAND
 syphilis, 101f
SUBMAXILLARY REGION
 calculi, 66r
SUCROSE, 28n
SUCTION
 gastrointestinal, 90p
SUCTION PUMP, 37o
SUE, Pierre, 94d
SUGAR
 in diet, 94f
SUGARS, 39b
SUGGESTION, 105q, 132v
SULFABENZAMIDE, 46u
SULFABENZIDE, 19t
SULFADIAZINE
 eff., 63o
 mass prophylaxis, 75i
 metabolism, 3s
 therapy, 86b
 toxicity, 43a
SULFATHIAZOL
 microcrystalline, 138-1
 pharmacol., 61k
 toxicity, 8d, 85c, 141s
 uses, 57r
SULFHYDRYL CPDS. 3w
SULFIDES, 65t
SULFIDINE
 eff., 115h
SULFONAMIDES, 92b, 98k
 combined, 107u
 determ., 59q
 eff., 28-1, 30e, 94h, 121b
 metabolism, 107o
 ointment, 46m
 therapy, 79m, 82r, 129a
 --in dentistry, 122h
 --in dermatology, 99r
 --in gynecology & obstetrics, 139i
 --in otorhinolaryngology, 29u
 --in pediatrics, 107o, 108e
 toxicity, 9g, 10b, 21e, 94h, 123s
SULFONES
 eff., 61d
 therapy, 110r
SULFUR
 dioxide, 78t
SURFACES, 143b
SURGERY, 14h, 93k, 95d, 137q
 blood proteins, 21s
 opl., 130j
 congresses, 158k
 geriatric, 129-1
 history, 92u, 139a
 in England, 61d
 in Russia, 157n
 minor, 87q
 plastic, 18t, 137r
 postop. care, 78m, 128r, 129q, 134c, 145i
 postop. opl., 136j, 157j
 preop. care, 128r
SUTURES, 27f
 cotton, 135t
 thromboplastin, 15q
 whale tendons, 157-1
SWEAT, 118c, n

- SWEAT GLANDS**
 abnorm., 124f
 pathol., 83j
 tumors, 7r, 8t, 68c
SWEATING
 protection, 151c
SWIMMERS & SWIMMING
 diet, 71d
 dermatitis, 113e
SWINE
 feeding, 159p
SYCOSIS, 124b
SYMPATHECTOMY
 opl. & seq., 92h
 indic., 82a, 136i
 lumbar, 83s
SYNOVIAL MEMBRANES
 cancer, 134w
SYPHILIDS, 7-1, 10e, 68d, 69s
SYPHILIS, 16q, 133p
 opl. & seq., 69s, 94c
 congenital, 68n
 contagiousness, 9e
 diagn., 133r
 epidemiol. & statistics, 7w, 10i, 50r
 112s, t
 eugenic asp., 52s
 immunity, 7t
 in art & literature, 92n
 manifestations, 10e
 prevention & control, 97a, 112j
 secondary, 9h, q
 serodiagn., 8n, q, r, 13m, 14p, q, 50r, 70q, t
 96g, 112j, s, t, 120s, 133r, s, 148n
 tertiary, 7m, 9q, 17q
 therapy, 7-1, m, t, 8n, 9a, b, c, 14e, 16d,
 17q, r, 31s, 68f, n, 76d, 85w, 92s,
 93c, 95n, 97b, 98p, v, 99a, 100u,
 102b, 112m, n, u, 123t
 transmission, 13m, 97j, 141m
 tuberculosis & syphilis, 9q

TABANIDAE, 88g, i
TABES DORSALIS
 arthropathy, 69t
 therapy, 14f, 30c
TAMPONS, 40a
TAR
 cancer, 51g
TARAXACUM, 142s
TASTE, 41c
TEETH, 66i
 abnorm., 124f, 122i
 absorption, 66c
 alveolitis, 6-1
 caries, 5u, 71q, 77-1, 123j
 cysts, 66p
 development, 6a
 diet, 122i, 123f
 dis., 5s, 31m, 67v, 122h, 122r
 extraction, 6w, 66m, t, 71q
 impacted, 66c
 malocclusion, 6v, 123b, o
 metabolism, 118j, 155h
 prostheses, 6b, e, f, t, 66b, j, 67d, g, p
 101v, 122k, q, s, 123d, h, i
 --immediate, 67e
 pulp, 6f, 67-1, 122u
 roentgenology, 6f
 supernumerary, 66q
 tumors, 66t
TELANGIECTASIS, 7q, 68-1
TEMPERATURE, BODY, 13t, 159m
 hyperthermia, 107s
 measurement, 1m
 pharmacol., 49c
 variations, 5c
TENDONS, 63c, 157-1
 sheaths, 63d
 suture, 98a
 wounds & injuries, 142k

TERPENES, 65a
TESTES
 cancer, 53f
 dis., 26c
 physiol., 117-1
 tumors, 16g
TETANUS, 36h
 antiserum, 24m, 114b, 115r
 cephalic, 33r
 opl. & seq., 31g
 etiol. & pathogen., 66-1, 137j
 immunity, 130p
 in animals, 129e
 neonatorum, 22r
 toxin, 120h
TETANY
 adult, 92c
 spine, 31g
TETRALOL, 34h
TETRYL, 74n
TEVIOT REPORT, 51s, 66g
THALAMUS, 40s
 degeneration, 106-1
 pathol., 22-1
THERAPEUTICS, 75r, 132b
THERMOCOUPLES, 1m, 103j
THERMOMETERS, 13q, r, s, t
THERMOTHERAPY, 99i
THIAMINE
 deficiency, 3e, 29i, 77r
 determ., 38c, 71r
 metabolism, 71m, 104d
 requirements, 119c
 sources, 118p, t
 toxicity, 132q, 141f
THIAZOLES, 6d
THIOCYANATES, 5m, 65t
THIOSIDES, 65t
THIOURACIL, 64f, 137v
 eff., 11k, 29m, 39a, 116w
 propyl, 76g
 therapy, 133g
 toxicity, 27q, 121c
THIOUREA
 alpha-naphthyl, 3u
 eff., 11k
THIRST
 psychol., 152r
THORACIC DUCT, 18b
THORAX
 dis., 158u
 pressure-volume diagram, 48c
 roentgenography, 53i, 111b, 155h
 tumors, 56n
 wounds & injuries, 36m, 157g, s, t
THORNDIKE EFFECT, 152s
THROAT
 bacteriol., 108m
 infections, 33m, 121p
 roentgenography, 156k
THROMBIN, 91d, 112e, 116v
THROMBOANGIITIS OBLITERANS, 82i
THROMBOPHEBITIS
 prev., 32k
THROMBOPLASTIN, 15q, 49f
THROMBOSIS
 brachial, 141h
 coronary, 75m, 81t
 mesenteric, 27w
 sinus, 135w
 therapy, 23a, 67v
THYMOL, 3b
THYMUS, 57c
 atrophy, 117t
THYROID
 aberrant, 56c, 149c
 cancer, 91c
 dis., 11d, 22c, 131c
 eff. drugs, 31
 extract, 7u, 11k
 hyperthyroidism, 3e, 20j, 24r, 25t, 39a
 78g, 85j, 86e, 130j, 137v
 hypothyroidism, 3e, 86a
 physiol., 2c, 11q
 preparations, 12a

THYROID (continued)
surgery, 15p, 21k, 44k, 99q, 100i, 133g

TRYROXIN

eff., 1f, 11q
tolerance, 11k

TIBIA

fractures, 22n, 36w
pseudofracture, 36n
tuberosity, 130h

TICK FEVERS

immunity, 29d
TICKS, 66h, 110f, 159w
eradication, 58d
protection, 101q

TICS, 41g

TIDE, 145f

TIN determ., 63w
therapy, 16k

TISSUE

extracts, 49f, 120n, 140p, s
respiration, 29h, 140c, s
sections, 57-1

TOBACCO, 91s, 93t

eff., 4q

TOILET-SEAT BUMPER, 39w

TOLATOES

dis., 143p

TOMOGRAPH, 53n

TONGUE

abscess, 137h
anat. & histol., 41c
dis., 10m, 69k
tumors, 10p

TONSILLITIS, 135j, 150e

therapy, 130c

TONSILLECTOMY

indic., 17h, 138q

TONSILS

hemorrhage, 100f
tumors, 30j, 44o
wounds & injuries, 77e

TOOTHACHE

in aviators, 37i
nasal, 6s

TORTICOLLIS

ocular, 62u

TORSUS, 66w

TOTALITIA, 151b

TOURNIQUET, 94g

TOXEMIA, 142c

alimentary, 16d, h, 114a, 115k
pathol., 114c
therapy, 126s

TOXICOSIS

in infants & children, 16d

TOXIN & ANTITOXIN, 121-1

antireticular cytotoxin, 60h

TRACHEOTOMY, 44f, 133m

TRACHOMA

epidemiol. & statistics, 102g

TRANSFERENCE, 106v

TRANSPLANTATION, 103p

TRAUMA, 63-1

TREMATODES, 113c, d

TREMOR, 152h

etiolog. & pathogen., 106m

TRICHOPHYTON, 30p, 100j

TRICHOTILLOMANIA, 69k

TRIDIONE

eff., 4m

TROCARS, 87g

TROMBICULA, 153e, g

TROMETER, 152h

TROPICAL MEDICINE, 36e, 81i, 133g
history, 93d

TROPICS

hygiene, 76t

TRYPANOSOMA vivax, 160i

TRYPANOSOMIASIS

epidemiol. & statistics, 76-1
immunity, 109q
therapy, 4s
transmission, 109s, w

TRYPSIN

inhibitors, 29c

TRYPTOPHANE

determ., 64k, 71r

TSETSE FLY, 109s, w

TSUTSUGAMUSHI DISEASE

epidemiol. & statistics, 153d

immunity, 52d

prev. & control, 101q, 153e, g

TUBERCLE BACILLI, 61c, 110m, n

cult., 111d, 137n, 140s

virulence, 110s

TUBERCULIN, 14h, p

autolytic, 159j

eff., 14p

therapy, 29t

toxicity, 133c

TUBERCULOSIS, 135d, 154a

allergy, 16c, 133c

and marriage, 92c, 52t

blood, 126b, 137u

bovine, 148r, 159v

Calmette-Guérin immunization, 62n, 110m

115i, j, 154u, v

combined, 111r

congenital, 108d

diagn., 16c, 127u

diet, 159i

epidemiol. & statistics, 15v, 16s, 92q

108e, 111o, q, 136s, 137r, 148r, s

149e

etiolog. & pathogen., 8e

eugenic asp., 52t, 92c

experimental, 110n

hospitals, 87m

immunity, 110m

in Indians, 154v

in insane, 27c, 106d

in medical students, 136s

industrial, 91n

metabolism, 121j

miliary, 141b

mortality, 149c, d

officialis, 69c

osteoarthritic, 96t, 111r

periodicals, 110t

prev. & control, 15v, 22c, 91t, 108t, 111q

149e

rehabilitation, 92k

reinfection, 110w

roentgenography, 16c, 141b

sanatoriums, 30b, 159i

therapy, 3b, 4n, 8p, 9t, 61c, d, 65p, 110r

transmission, 92q, 146r

tuberculin reactions, 14p, 108e, 124e, 159j

160a

vaccine, 62n

TUBERCULOSIS PULMONARY

artificial pneumothorax, 32-1, 53v, 110p

111c, 128b, 157s

cavitation, 111a, 138c

classification, 138f

combined, 111r

opl. & seq., 98e, 111-1, m, 134v

epidemiol. & statistics, 37p

etiolog. & pathogen., 20r

hemoptysis, 37a, 111s

meteorology, 18a

pathol., 111-1

prognosis, 26c

reinfection, 110r

respiration, 26c

roentgenography, 110q

surgical therapy, 23e, 35r, 56s, 96b, 111j

139f

therapy, 91u

TULAREMIA

diagn., 115s, t, u

epidemiol. & statistics, 115s, v

experimental, 116a, 120e

prev. & control, 114c, 115w

transmission, 116b

TUMORS

adamantinoma, 66n, s
 adenoma, 55c, 136r
 angioma, 7q, 10m, p, 72e, 98h, 123s, 135k
 angioneuroma, 10s, 58p, 63e
 chicken tumor I, 3c
 chloroma, 20t
 chondroma, 100o
 dentinoma, 66t
 epidermoid, 91g
 etiol. & pathogen., 63-1
 Ewing's, 62t
 experimental, 3c, 35i, 117r, 119d, 120a
 fibroma, 10v, 70r
 genetics, 35i
 giant-cell, 30-1, 83b
 in animals, 63-1, 148t
 lymphoblastoma, 54c
 melanoma, 156d, e, f
 --in animals, 160o
 mixed, 25w, 66c
 myeloma, 61f
 myxoma, 66s
 neurinoma, 30h
 neuroma, 56n
 oil, 51g
 papilloma, 120a
 polypous, 79u, 88v
 schwannoma, 54k
 seminoma, 35r
 teratoma, 16g, 141c
 therapy, 133c
 TUNNY-FISH OIL, 8d
 TURPENTINE, 150p
 TURTLES
 embryol., 57g
 TWINS
 identical, 76u
 TYPHOID, 96i, 136b
 atypical, 115a
 bacilli, 46o, 114v, 121i
 carriers, 101h
 opl. & seq., 32v, 44-1, 86s
 diagn., 102k, 114v, w
 immunity, 62d
 manifestations, 124d
 therapy, 114o
 transmission, 115a
 vaccine, 109f
 TYPHUS
 diagn., 115u, 136b
 epidemiol. & statist., 17s, 86h
 immunity, 52b
 vaccine, 120d, w
 TYRAMINE, 4c
 TYROTHRIGIN, 46n
 therapy, 69b
 TYZZER'S DISEASE, 117p
 UDDERS
 dis., 160h
 UFI, 27d
 ULCER, 93c
 anti-substance, 39r
 roentgen ray, 69q
 therapy, 8c, 14d, 16k, 91p
 tropical, 36d
 ULTRAVIOLET RAYS, 146m
 absorption, 140j
 disinfection, 51a
 eff., 98i, 120-1, 140-1, q, 155m
 UNCONSCIOUS, 145e
 UNDULANT FEVER
 opl. & seq., 77t
 diagn., 116c
 epidemiol. & statistics, 21v, 24i, 31d
 37b, 90g
 eyes, 107e
 genitourinary tract, 96f
 immunity, 116c
 therapy, 116d

UNIVERSITIES, 36r

URBANIZATION
physiol. & pathol. eff., 150d

UREA, 39v

coefficient, 102h

eff., 60-1

metab., 2r

therapy, 27d

UREMIA

opl. & seq., 34o

epidemiol. & pathogen., 72j

heart, 4v

URETERS

ectopic, 56p, 156o, r

calculi, 129v

roentgenography, 155s

surgery, 111u

wounds & injuries, 136m

URETHANES, 59d, 24k

URETHRA

infl., 86o, 135o

rupture, 97j

tumors, 79u

URINARY TRACT

calculi, 111v, 112a

infections, 99q

roentgenography, 141c

surgery, 111u, v

URINATION, 18v, w

disorders, 93p, 97h, 127h

incontinence, 56p, 90-1

suppression, 35u, 23g

URINE

chemistry, 3b

cholesterol, 85v

lead, 15a

nitrotoluene, 14t

salicyl. opds., 61a

sugar, 148o

UROLOGY, 111v, 131o

surgery, 55k

URTICARIA, 60k

etiol. & pathogen., 60d

pigmentosa, 70h, 124a

therapy, 9u

UTERUS

abnorm., 76p, 128h

adhesions, 12w

adnexa, 20t, 79t

atrophy, 124s

cancer, 9-1, 20u, 26f, 33w, 53t, u, 78e,

87o, 60h, 109o, 124h, i, 138v, 155n

cervix, 130r

curettag, 72w

dis., 9r

--in cattle, 160h

displacements, 26k

eff. drugs, 3j, 58w

electromyography, 116m

excision, 9-1

fibroma, 22j, 124n

fibromyoma, 72o

hemorrhage, 33i, 116m

hydatidiform mole, 124u

inversion, 13i

motility, 3m

myoma, 72w, 124m

physiol., 11u, 12w

pigmentation, 20s

prolapse, 112i

rupture, 34s

surgery, 54o, 109o, 124i, 1, 126t, 138v

tuberculosis, 11d

tumors, 13a, 22i

UVEA

infl., 107d

- VACCINES, 46k, 120c, w, 121g
chromatic, 109f
inactivation, 981
- VAGINA
artificial, 124p
cancer
--in animals, 160h
foreign bodies, 1001
pigmentation, 20s
prolapse, 56c
surgery, 136e
wounds & injuries, 73r
- VALERY, Paul, 93w
- VALSALVA'S EXPERIMENT, 155t
- VARICOCELE, 54s
surgery, 112a
- VARICOSE VEINS, 55f
bandaging, 77u
therapy, 27-1, 69d, 75w, 92m
- VASOMOTOR SYSTEM
dis., 89n
eff. drugs, 21
- VATER'S AMPULLA, 32r
- VEINS
catheterization, 78d
dis., 131c
jugular, 117j
pulmonary, 62k
- VENAE CAVAE
abnorm., 1g
- VENEREAL DISEASES, 47c, 133c, s
clinics, 133p
epidemiol. & statist., 108c
insurance asp., 108u
prev. & control, 101, 50m, 52u, 78v, 99m
112w
- VENTILATION, 15b, 50w, 51a
- VERON, Louis, 94j
- VERUCA, 10-1, t, 69h
surgery, 69b
therapy, 73v, 149t
- VETERANS
adjustment, 154g
medical care, 21v, 23r, 78n, 137b
psychiatry, 40v, 791, 1361
- VETERINARY MEDICINE, 160v
in Poland, 138d
military, 160r
- VICIA faba, 62-1
- VINEGAR, 63u
- VIRILISM, 100n
- VIRUSES, 104t, 113p, t, w, 120a, k, 1381
determ., 113q
dis.
--in plants, 116h, 120q
metabolism, 121a
X, 25v
- VISCERA
rheumatism, 130e
transposition, 31t
- VISHNEVSKY'S TECHNIC, 156u
- VISIBILITY, 146q
- VISION, 21a, 144g
acuity, 42t, 107f, 141e
defects, 1071
field, 43p, 135a
industrial asp., 147h
physiol., 129e, 146s
tests, 146w, 149s
training, 42u
- VITAL CAPACITY, 111k
- VITAL STATISTICS, 23c, 136d
birth rate, 12s
India, 84j
longevity, 155b
morbidity, 137v
--in France, 17w
mortality, 50-1
- VITALITY, 82h
- VITAMINES, 103g, 130c
A, 70g, 83s, 91j, 119s
B, 2f, 10k, 26v, 29a, 34e, 39p, 64m, s,
71c, 78j, 95c, 104b, o, 117h, 118a
1161, s, w, 119e, f, 127e, 159p
- D, 8p, 9d, t, 44k, 45c, e, 71g, j
deficiency, 43b, 70g
E, 20s, 28v, 117-1
K, 47s, 67m, 77r
standardization, 64c
therapy, 211, 85u, 157a
veterinary use, 148t
- VITILIGO, 69-1
- VOLE BACILLUS, 110m, n
- VOLTMETER, 39g
- VOMITING
in infants & children, 23k
- VULVA
dis., 7n, u, 112h
- WALKING IRONS, 39w
- WAR, 154s
dis., 17s, 71q, 111c, q, 153h, 148s
nutrition & food supply, 17v, 201, 37e,
118h, 131f, g, 149h
prisoners, 5r, 7w, 17s, 24s, 36a, e, 37e,
41h, 52u, 66f, 106c, 122n, 133h,
136v, 144r
psychol. asp., 12f, 20d, 21c, 41h, 105u,
106c, 106e, 131d, 154h
public health asp., 131b, e, f, g, j, 1491
wounds, 36h, 93p
- WASSERMANN REACTION, 112j, 114h, 1
- WASTES, 52w
industrial, 53a
- WATER, 159r
chlorination, 115w
distillation, 64h
metabolism, 41, 16v
mineral, 23m, 90q, 129q, 130c, 131e, e, f, g, k
physiological prop., 150s
pollution, 50t
- WATER-CLOSET, 39w
- WEATHER, 154q
- WEINGARTEN'S SYNDROME, 128c
- WELLS BACILLUS, 110m
- WEST'S OPERATION, 66g
- WETTING AGENTS, 58m
- WHEAT, 38r
- WHOOPING COUGH
epidemiol. & statistics, 45p
vaccine, 45k
- WITCHCRAFT, 19c
- WOOD
antibiotic eff., 29d
- WORK, 1-1
physical, 116c, n
- WORKMEN'S COMPENSATION, 154e
- WOUNDS
experimental studies, 142n
healing, 33c, 60h
infection, 361, 55e, i, 90q, 95m, 115n, o
156w
therapy, 102p, 157b, 158d, 1
- WRIST
wounds & injuries, 69-1
- XANTHINES, 2r, 41
- XANTHOMA, 701
- XANTHOMATOSIS, 1171
- XANTHOMONAS, 116h
- XERODERMA, 9m
- YEAST, 38c, 64t, 103g
eff., 140h, j, m, o
in diet, 119h, i, k, l, n, q
metabolism, 140n, s
vitamines, 118t, 119a
- YELLOW FEVER
immunity, 120u
- ZINC
metabolism, 63k
sulfate, 127u

